

# Parallels<sup>®</sup> Management Console User's Guide

*Parallels Holdings, Ltd.  
c/o Parallels Software, Inc.  
13755 Sunrise Valley Drive  
Suite 600  
Herndon, VA 20171  
USA  
Tel: +1 (703) 815 5670  
Fax: +1 (703) 815 5675*

*Copyright © 1999-2010 Parallels Holdings, Ltd. and its affiliates. All rights reserved.*

*Parallels, Coherence, Parallels Transporter, Parallels Compressor, Parallels Desktop, and Parallels Explorer are registered trademarks of Parallels Software International, Inc. Virtuozzo, Plesk, HSPcomplete, and corresponding logos are trademarks of Parallels Holdings, Ltd. The Parallels logo is a trademark of Parallels Holdings, Ltd.*

*This product is based on a technology that is the subject matter of a number of patent pending applications. Virtuozzo is a patented virtualization technology protected by U.S. patents 7,099,948; 7,076,633; 6,961,868 and having patents pending in the U.S.*

*Plesk and HSPcomplete are patented hosting technologies protected by U.S. patents 7,099,948; 7,076,633 and having patents pending in the U.S.*

*Distribution of this work or derivative of this work in any form is prohibited unless prior written permission is obtained from the copyright holder.*

*Apple, Bonjour, Finder, Mac, Macintosh, and Mac OS are trademarks of Apple Inc. Microsoft, Windows, Microsoft Windows, MS-DOS, Windows NT, Windows 95, Windows 98, Windows 2000, Windows XP, Windows Server 2003, Windows Vista, Windows Server 2008, Windows 7, Microsoft SQL Server, Microsoft Desktop Engine (MSDE), and Microsoft Management Console are trademarks or registered trademarks of Microsoft Corporation.*

*Linux is a registered trademark of Linus Torvalds.*

*Red Hat is a registered trademark of Red Hat Software, Inc.*

*SUSE is a registered trademark of Novell, Inc.*

*Solaris is a registered trademark of Sun Microsystems, Inc.*

*X Window System is a registered trademark of X Consortium, Inc.*

*UNIX is a registered trademark of The Open Group.*

*IBM DB2 is a registered trademark of International Business Machines Corp.*

*SSH and Secure Shell are trademarks of SSH Communications Security, Inc.*

*MegaRAID is a registered trademark of American Megatrends, Inc.*

*PowerEdge is a trademark of Dell Computer Corporation.*

*eComStation is a trademark of Serenity Systems International.*

*FreeBSD is a registered trademark of the FreeBSD Foundation.*

*Intel, Pentium, Celeron, and Intel Core are trademarks or registered trademarks of Intel Corporation.*

*OS/2 Warp is a registered trademark of International Business Machines Corporation.*

*VMware is a registered trademark of VMware, Inc.*

*All other marks and names mentioned herein may be trademarks of their respective owners.*

# Contents

<b>Introduction</b>	<b>6</b>
About Parallels Management Console .....	7
About This Guide.....	8
Organization of This Guide .....	8
Documentation Conventions.....	8
Getting Help .....	9
Feedback .....	10
<b>Principles of Working With Parallels Management Console</b>	<b>11</b>
Starting Parallels Management Console.....	11
Exploring Parallels Management Console Interface .....	12
Welcome Window .....	12
Parallels Management Console Window .....	13
Menus .....	15
Toolbar.....	16
Status Bar.....	19
Parallels Management Console Tray Icon .....	20
Setting Up Parallels Management Console Preferences.....	20
General Preferences .....	21
Keyboard Preferences .....	23
Proxy Server Preferences.....	24
<b>Working With a Parallels Physical Server</b>	<b>26</b>
Registering a New Parallels Physical Server .....	27
Activating a Parallels Physical Server.....	29
Connecting to a Registered Parallels Physical Server .....	30
Editing Parallels Physical Server Settings.....	31
Server Settings Dialog .....	32
General Options .....	33
Login Options .....	34
Security Options .....	35
Backup Options.....	36
Memory Options .....	37
Feedback Options .....	38
Intel VT-d .....	39
Virtual Networks.....	41
Disconnecting From a Parallels Physical Server.....	48
Removing a Parallels Physical Server.....	49
<b>Setting Up a Virtual Machine</b>	<b>50</b>
Creating a New Virtual Machine .....	50
New Virtual Machine Wizard .....	51
Express Windows Installation Mode .....	52
Typical Installation Mode .....	54
Custom Installation Mode.....	56

Installing a Guest Operating System.....	61
Using Parallels Tools .....	63
Parallels Tools Availability.....	64
Installing Parallels Tools in a Windows Guest OS .....	65
Installing Parallels Tools in a Linux Guest OS.....	66
Installing Parallels Tools in a Mac OS X Guest OS .....	69
Updating Parallels Tools.....	70
Removing Parallels Tools.....	72
Adding an Existing Virtual Machine .....	73

**Working in a Virtual Machine** **75**

---

Performing Main Operations on a Virtual Machine.....	76
Starting a Virtual Machine and Shutting It Down.....	76
Suspending and Pausing a Virtual Machine.....	77
Stopping and Resetting a Virtual Machine .....	78
Using Keyboard and Mouse.....	79
Capturing and Releasing the Keyboard and Mouse.....	79
Keyboard Shortcuts in a Virtual Machine.....	79
Changing the View Mode .....	80
Changing Configuration at Runtime .....	82
Using Shared Folders .....	83
Setting Up a Shared Folder .....	84
Viewing Shared Folders in Guest OS .....	85
Making Guest OS Screenshots.....	85

**Configuring Virtual Machines** **86**

---

Editing Virtual Machine Configuration .....	87
General Settings.....	88
Boot Order Settings .....	90
Optimization Settings.....	92
Permissions Settings .....	93
Startup and Shutdown Settings .....	94
Remote Display Settings.....	95
Services Settings.....	96
Shared Folders Settings.....	98
SmartGuard Settings.....	100
CPU Settings.....	102
Memory Settings.....	103
Video Settings.....	104
Floppy Disk Settings.....	106
Hard Disk Settings .....	108
CD/DVD-ROM Settings.....	112
Network Adapter Settings.....	115
Parallel Port Settings.....	117
Serial Port Settings.....	119
Sound Settings .....	122
USB Settings.....	124
Generic SCSI Device Settings .....	125
Adding and Removing Devices.....	126
Add Hardware Wizard .....	127
Adding Hard Disk.....	129
Adding CD/DVD-ROM Drive.....	134
Adding Floppy Disk Drive.....	137
Adding Network Adapter.....	139
Adding Serial Port .....	141
Adding Parallel Port.....	143
Adding USB Controller .....	144

Adding Generic SCSI Device .....	145
Adding Sound .....	146
Removing Devices .....	147

**Managing Virtual Machines** **148**

---

Cloning a Virtual Machine .....	149
Deleting and Removing a Virtual Machine .....	151
Managing Virtual Machine Templates .....	154
Creating a Virtual Machine Template .....	155
Deploying a Virtual Machine Template .....	157
Managing Virtual Machines From the Tray .....	159
Working With Snapshots .....	160
Making Snapshots .....	161
Managing Snapshots .....	162
Migrating a Virtual Machine .....	165
Working With Virtual Machine Backups .....	166
Backing Up a Virtual Machine .....	167
Restoring and Removing Virtual Machine Backups .....	168

**Using Parallels Compressor** **169**

---

Guest Operating System Requirements .....	170
Parallels Compressor Working Principles .....	170
How to Run Parallels Compressor .....	171

**Troubleshooting and Limitations** **173**

---

Getting Technical Support .....	173
Reporting a Problem to Parallels Support Team .....	174
Memory Usage Problems .....	176
Problems With Antivirus Software .....	177
Upgrading or Installing Parallels Tools in Text Mode in a Linux Guest OS .....	178
Installing the GCC package and kernel sources in Linux .....	179

**Glossary** **180**

---

**Index** **182**

---

---

## CHAPTER 1

# Introduction

This guide provides information on how to work in Parallels Management Console - a client application used to manage your Parallels physical servers and their virtual machines.

## In This Chapter

About Parallels Management Console .....	7
About This Guide .....	8
Getting Help .....	9
Feedback .....	10

---

# About Parallels Management Console

Parallels Management Console is a remote tool with a graphical user interface (GUI) for managing your Parallels physical servers and virtual machines residing on them. This tool supports managing physical servers running the following Parallels products:


- Parallels Server for Mac
- Parallels Server Bare Metal
- Parallels Server 4.0 for Mac Bare Metal Edition

---

**Note:** In this guide, the information about Parallels Server Bare Metal refers both to Parallels Server Bare Metal and to Parallels Server 4.0 for Mac Bare Metal Edition.

---

Parallels Management Console uses a typical client-server architecture.



The client application with the graphical user interface is installed on a computer running one of the supported Linux, Mac, or Windows operating systems. For the full list of supported operating systems, see the [Checking System Requirements](#) subsection of the *Getting Started With Parallels Management Console* user's guide. Once the client application is up and running, it can connect to the Parallels Service software on a physical server. This software is automatically installed on the physical server when you install one of the aforementioned Parallels products. The client application can control multiple physical servers simultaneously (e.g. *Physical Server #1* and *Physical Server #2* as shown in the picture above). After the connection to the required physical server has been established, you can start managing this server and its virtual machines using the intuitive and comfortable GUI.

---

## About This Guide

*Parallels Management Console User's Guide* contains extensive information on configuring Parallels Management Console settings and using this application to manage Parallels physical servers and virtual machines hosted on them.

To follow the instructions in this guide, no more than basic Linux, Mac, or Windows administration skills are required.

## Organization of This Guide

The structure of the present guide is quite transparent and consists of the following chapters:

- **Introduction** (p. 6) (you are reading it now). Provides basic information about the product and this guide.
- **Principles of Working With Parallels Management Console** (p. 11). Provides basic information on how to work with Parallels Management Console.
- **Working With a Parallels Physical Server** (p. 26). Provides basic information on how to work with a Parallels physical server.
- **Setting up a Virtual Machine** (p. 50). Provides instructions on creating a new virtual machine and adding an existing one.
- **Working in a Virtual Machine** (p. 75). Provides basic information on how to work with virtual machines.
- **Configuring Virtual Machines** (p. 86). Provides information on how to change the virtual machine configuration.
- **Managing Virtual Machines** (p. 148). Provides basic information on how to manage your virtual machines.
- **Using Parallels Compressor** (p. 169). Provides information on how and when you can use Parallels Compressor.
- **Troubleshooting and Limitations** (p. 173). Provides the solutions for some of the known issues.

## Documentation Conventions

Before you start using this guide, it is important to understand the documentation conventions used in it.

The table below presents the existing formatting conventions.

Formatting convention	Type of Information	Example
Special Bold	Items you must select, such as menu options, command buttons, or items in a list.	Go to the <b>Resources</b> tab.
	Titles of chapters, sections, and subsections.	Read the <b>Basic Administration</b> chapter.

<i>Italics</i>	Used to emphasize the importance of a point, to introduce a term or to designate a command-line placeholder, which is to be replaced with a real name or value.	These are the so-called <i>EZ templates</i> . To destroy a Container, type <code>vzctl destroy <i>ctid</i></code> .
Monospace	The names of commands, files, and directories.	Use <code>vzctl start</code> to start a Container.
Preformatted	On-screen computer output in your command-line sessions; source code in XML, C++, or other programming languages.	<code>Saved parameters for Container 101</code>
Monospace Bold	What you type, as contrasted with on-screen computer output.	<code># rpm -V virtuoizzo-release</code>
Key+Key	Key combinations for which the user must press and hold down one key and then press another.	Ctrl+P, Alt+F4

Besides the formatting conventions, you should also know about the document organization convention applied to Parallels documents: chapters in all guides are divided into sections, which, in their turn, are subdivided into subsections. For example, **About This Guide** is a section, and **Documentation Conventions** is a subsection.

---

## Getting Help

In addition to this guide, you can refer to the following resources to get more information on Parallels Management Console:

- *Getting Started With Parallels Management Console*. This guide provides information on installing and setting to work the Parallels Management Console application on your computer.
- Context-sensitive help. When working in Parallels Management Console, you can open a help page for the currently active window by pressing F1 on your keyboard.
- Online documentation. All documentation for Parallels Management Console and other Parallels products, such as Parallels Server Bare Metal and Parallels Server for Mac is also available online.
- Parallels website (<http://www.parallels.com>). Visit the Parallels Support web page containing product help files and the FAQ section.
- Parallels Knowledge Base (<http://kb.parallels.com/>). This online resource comprises various articles about using Parallels Management Console and other Parallels products.

---

## Feedback

If you spot a typo in this guide, or if you have thought of a way to make this guide better, you can share your comments and suggestions with us by completing the feedback form at the Parallels documentation feedback page (<http://www.parallels.com/en/support/usersdoc/>).

## CHAPTER 2

# Principles of Working With Parallels Management Console

This chapter describes how to start working with Parallels Management Console.

## In This Chapter

Starting Parallels Management Console .....	11
Exploring Parallels Management Console Interface .....	12
Setting Up Parallels Management Console Preferences .....	20

---

## Starting Parallels Management Console

To launch Parallels Management Console:



On Mac OS X: open the `Applications` folder and launch the `Parallels Management Console` application.



On Windows: from the `Start` menu, choose `All Programs > Parallels > Parallels Management Console > Parallels Management Console`.



On Linux: start `Terminal` and execute `pmc-standalone`.

---

# Exploring Parallels Management Console Interface

## Welcome Window

When you start Parallels Management Console for the first time, the Parallels Management Console Welcome window appears:

- To connect to Parallels physical server, click **Connect to Parallels Server**.
- To view Parallels Management Console Quick Start Guide, click **Getting Started Guide**.
- To open Parallels website in your default browser, click **Parallels Website**.



## Parallels Management Console Window

When you launch Parallels Management Console, the Parallels Management Console window opens. The Parallels Management Console window consists of several parts:

**Menus** - contain all the controls available for Parallels Management Console, Parallels physical servers, and virtual machines. For detailed information, see the **Menus** subsection (p. 15).

**Toolbar** - comprises buttons that can be used to manage the virtual machine and its appearance. For detailed information, see the **Toolbar** subsection (p. 16).

**Sidebar** - contains the list of all Parallels physical servers registered in Parallels Management Console and their virtual machines. If you right-click a Parallels physical server name in the list, you can use a set of commands for managing the Parallels physical server from the context menu. If you right-click a virtual machine name in the list, you can use a set of commands for managing the virtual machine from the virtual machine context menu.

**Virtual Machine window** - acts as the virtual machine display or shows the properties and main operations of the virtual machine you selected in the sidebar. It consists of three tabs:

- The **Summary** tab displays the main information about the virtual machine (its name, location, OS, state and description), the main operations you can perform on it, and the virtual machine configuration. This tab is always available.
- The **Console** tab is available when the virtual machine is running and acts as the virtual machine display.
- The **Performance** tab shows the CPU, memory, hard disk, and network usage when the virtual machine is running.
- The **Backup** tab lists all virtual machine backups. It also contains the controls allowing you to create a new backup.

**Status Bar** - displays the devices information when the virtual machine is running. For detailed information, see the **Status Bar** subsection (p. 19).



## Menus

The Parallels Management Console menus contain all the controls available for Parallels Management Console and its virtual machines.

There are the following menus:

-  The **Management Console** menu. This menu is available only if Parallels Management Console is installed on a Mac. The **Management Console** menu allows you to:
  - display the **About Parallels Management Console** dialog
  - set up Parallels Management Console preferences (p. 20)
  - quit Parallels Management Console
- The **File** menu allows you to:
  - create a new virtual machine (p. 50)
  - add an existing virtual machine to Parallels Management Console (p. 73)
  - remove the virtual machine from the Parallels Management Console sidebar (p. 151)
  - delete the virtual machine (p. 151)
  - clone the virtual machine (p. 149)
  - clone the virtual machine to a template (p. 155)
  - convert the virtual machine to a template (p. 155)
  - deploy the template to a virtual machine (p. 157)
  - convert the template to a virtual machine (p. 157)
  - migrate the virtual machine to another Parallels physical server (p. 165)
  -   set up Parallels Management Console preferences (p. 20)

---

**Note:** This option is available in the **File** menu only if Parallels Management Console is installed on a Windows- or Linux-based physical computer. If Parallels Management Console is installed on a Mac, this option is available in the **Management Console** menu.

---

-   quit Parallels Management Console
- 

**Note:** This option is available in the **File** menu only if Parallels Management Console is installed on a Windows- or Linux-based physical computer. If Parallels Management Console is installed on a Mac, this option is available in the **Management Console** menu.

---

- The **View** menu includes commands for switching between different view modes: the Full Screen mode and the Window mode. You can also customize how you view the Parallels Management Console window and enable or disable automatic changes of the virtual machine screen resolution.
- The **Virtual Machine** menu allows you to:
  - manage the virtual machine (p. 75)
  - work with virtual machine's snapshots (p. 160)
  - edit the virtual machine configuration (p. 87, p. 86)
  - install Parallels Tools (p. 63)


- update Parallels Tools (p. 70)
- compress the virtual machine's hard disk drive
- The **Server** menu allows you to:
  - connect to a registered Parallels physical server (p. 30)
  - disconnect from a registered Parallels physical server (p. 48)
  - register a new Parallels physical server (p. 27)
  - remove a Parallels physical server from the list of registered servers (p. 49)
  - edit Parallels physical server settings (p. 31)
  - rename a Parallels physical server
  - navigate between the registered Parallels physical servers
- The **Devices** menu is available only when the virtual machine is running. It allows you to send some key combinations to the guest operating system and to configure certain devices and shared folders at runtime.
- The **Window** menu allows you to choose the application window you want to appear on top. This menu simplifies the navigation between the virtual machines.
- The **Help** menu allows you to:
  - open Parallels Management Console Help
  - activate a Parallels physical server (p. 29)
  - report problems to Parallels Support Team (p. 174)

  It also displays the **About Parallels Management Console** dialog if Parallels Management Console is installed on a Windows- or Linux-based physical computer.

## Toolbar

The Parallels Management Console toolbar contains buttons for the most frequent commands used to start, stop, and otherwise manage a virtual machine and its window appearance.

Most of the toolbar buttons become enabled only when you start the virtual machine. If you click a toolbar button, it becomes visibly pressed.



The default toolbar buttons:



**Start.** Use this button to start the virtual machine if it is shut down, paused, or suspended.

If the virtual machine is suspended or paused, this button becomes the **Resume** button .



**Shut Down.** Use this button to shut down the guest operating system correctly.



**Suspend.** Use this button to put the virtual machine into the sleep mode for a certain period of time. If you need to restart the Parallels physical server, you may temporarily suspend your virtual machines and easily resume them after the restart.



**Detach Console (Attach Console).** Use this button to detach the virtual machine console to a new window or to attach it back to the main window. You may use this button to view the currently running virtual machines in separate windows.



**Full Screen.** Use this button to switch the virtual machine to the Full Screen mode (p. 80). To return back to the Window mode, press the key combination that is Ctrl+Alt+Enter by default. The key combination for switching to the Full Screen mode and back can be changed in the Preferences dialog (p. 23) available from the File menu (or from the Management Console menu if Parallels Management Console is installed on a Mac).



**Server Level.** Use this button to quickly switch from the virtual machine window to the window of the server this virtual machine belongs to.

You can easily add other buttons to the toolbar: just right-click the toolbar, choose **Customize Toolbar** (p. 18) from the shortcut menu, and drag the items you need to the toolbar:



**Restart.** Use this button to restart the fully loaded guest operating system.



**Pause.** Use this button to pause the virtual machine when you need to instantly release the Parallels physical server resources used by this virtual machine.



**Stop.** Use this button to stop the virtual machine in cases when the machine does not run properly and prevents you from shutting it down.

---

**Note:** If you click this button when the virtual machine is running, you may lose all the unsaved data. To turn off the virtual machine, use the shutdown procedure specified for the guest OS installed in it or use the **Shut Down** button.

---



**Reset.** Use this button for hard reset of your virtual machine in cases when the machine does not run properly and prevents you from resetting it properly.

If you often work with snapshots, you can drag any of the three snapshot buttons to the toolbar as well:



**Take Snapshot.** Use this button to create a snapshot for the virtual machine.



**Revert to Snapshot.** Use this button to roll back the changes made to the virtual machine since the moment the last snapshot was made.



**Manage Snapshots.** Use this button to open Virtual Machine Snapshots. For more information, refer to the *Working with Snapshots* section (p. 160).

## Customizing Toolbar

To change the appearance of the toolbar items, right-click the toolbar and use the shortcut menu commands:

- **Icon & Text.** Use this command if you want the toolbar to display both the button icons and their names.
- **Icon only.** Use this command if you want the toolbar to display only the button icons.
- **Text only.** Use this command if you want the toolbar to display only the button names.
- **Use Small Size.** Use this command if you want the toolbar buttons to appear in a smaller size.
- **Remove Item.** Point to a toolbar item and use this command if you want to remove this item from the toolbar.
- **Customize Toolbar.** This command opens the toolbar settings pane. See the description below.

To customize the set of toolbar buttons and their appearance, right-click the toolbar and choose **Customize Toolbar** from the shortcut menu. The toolbar settings pane will open. You can use this pane to:

- add new buttons to the toolbar by dragging them from the settings pane to the toolbar
- remove buttons from the toolbar by dragging them from the toolbar to the settings pane
- add separators to the toolbar by dragging them from the settings pane to the toolbar
- add spaces to the toolbar by dragging them from the settings pane to the toolbar
- change the current toolbar buttons set to the default one by dragging it to the toolbar
- select the toolbar buttons view mode in the **Show** list

To apply the changes you have made to the toolbar settings pane, click **Done**.

## Status Bar

When the virtual machine is running, the status bar of its window displays the information about devices connected to the virtual machine.




The following devices have the icons on the status bar:

- keyboard 
- floppy disk drive 
- CD/DVD-ROM 
- hard disk 
- network adapter 
- serial port 
- parallel port 
- sound card 
- USB controller 
- shared folders 

If you see the  icon in the status bar, it means that Parallels Tools are installed in your virtual machine.

You can connect or disconnect some of the virtual machine devices at runtime by clicking their icons in the status bar and choosing the respective commands from the shortcut menu. The picture below shows the shortcut menu for the CD/DVD-ROM drive.



You can connect ISO images of CD/DVD discs to the virtual machine CD/DVD-ROM drive or connect floppy images to its floppy disk drive in the following way: drag the required image file over the CD/DVD-ROM drive icon or the floppy disk drive icon in the status bar. For more information, please refer to the [Changing Configuration at Runtime](#) section (p. 82).

## Parallels Management Console Tray Icon

When working with Parallels Management Console installed on Windows- and Linux-based physical computers, you can use the Parallels Management Console tray icon to:

- easily manage your running and paused virtual machines. For detailed information, refer to [Managing Virtual Machines From the Tray](#) (p. 159).
- bring the Parallels Management Console window to focus. To this effect, double-click the tray icon or right-click it and choose **Show Main Window**.
- quit Parallels Management Console. To this effect, right-click the tray icon and choose the corresponding item.

The Parallels Management Console tray icon becomes available if you configure the closing main window settings (p. 21) as follows:

- Choose **Ask for Action** from the **Closing Main Window** menu. Now, if you close the Parallels Management Console main window, you will be asked if you want to exit the application, to hide the main window to the notification area, or to cancel. If you choose to hide the main window, the tray icon will appear in the notification area.
- Choose **Hide to Notification Area** from the **Closing Main Window** menu. Now, if you close the Parallels Management Console main window, the tray icon will appear in the notification area.

---

## Setting Up Parallels Management Console Preferences

You can configure Parallels Management Console settings, using the **Preferences** dialog.

To access the dialog:



On Mac OS X: choose **Preferences** from the **Management Console** menu.




On Windows: choose **Preferences** from the **File** menu.



On Linux: choose **Preferences** from the **File** menu.

## General Preferences

In the General pane, you can specify the Parallels Management Console general preferences.



## Closing Main Window

 If you have Parallels Management Console installed on a Windows- or Linux-based physical computer, you can choose how the Parallels Management Console main window will act when you close it. Choose between the following options:

- **Exit Application.** Choose this option if you want to exit Parallels Management Console on closing the main window. If you have a detached window of a running virtual machine, it will stay open.
- **Hide to Notification Area.** Choose this option if you want to minimize the application and hide it to the notification area on closing the main window. For detailed information on managing virtual machines from the notification area, refer to **Managing Virtual Machines From the Tray** (p. 159).
- **Ask for Action.** Choose this option if you want Parallels Management Console to ask you what action to perform on closing the main window.

## Sidebar Placement

This field enables you to choose where to position the Parallels Management Console sidebar:

- **Left.** Choose this option to place the sidebar to the left of the Parallels Management Console main window.
- **Right.** Choose this option to place the sidebar to the right of the Parallels Management Console main window.

## Reset Hidden Messages

Some of the Parallels Management Console dialogs include the **Do not show this message again** option. If you select this option, this dialog will not appear next time. The **Reset Hidden Messages** button enables you to reset these dialogs and assistant windows, making them appear again.


## Restore Defaults

 The **Restore Defaults** button is available if Parallels Management Console is installed on a Windows- or Linux-based physical computer. This button enables you to restore the default settings for Parallels Management Console general preferences.

## Keyboard Preferences

In the Keyboard pane, you can set keyboard shortcuts for the following actions:

- **Full Screen Toggle.** This action switches the virtual machine window from the Window mode to Full Screen and vice versa.
- **Release Input.** This action releases the keyboard and mouse input from the virtual machine window.




### Restore Defaults

To restore the default settings, click Restore Defaults.

## Proxy Server Preferences

 The Proxy Server pane is available only if Parallels Management Console is installed on a Windows- or Linux-based physical computer. This pane allows you to configure a number of proxy server-related settings.



If you do not want to use a proxy server for network connections, select **Do not use proxy server** and click **OK**.

If you want to use a proxy server for network connections, you have the following possibilities:

- You can choose the **Specify a proxy server** option and provide the proxy server settings manually.

If you chose **Specify a proxy server**, you should specify the address and port of the proxy server. If this proxy server requires authentication, select **Proxy server requires authentication** and type the corresponding credentials in the **User Name** and **Password** fields. Choose **Use a different proxy server for SSL connections** if you want to use an SSL proxy server for your secure connections. Click **SSL Proxy** and provide the SSL proxy server address and port in the **SSL Proxy** window. In this window, you can also provide the credentials for accessing this server if needed. If you clear **Use a different proxy server for SSL connections**, the first proxy server specified in this pane will be used for all connections.

- If Parallels Management Console is installed on a Windows-based physical computer, you can choose **Use Internet Explorer proxy settings** to import the proxy server setting from the connections settings of Internet Explorer.

If you chose **Use Internet Explorer proxy settings**, click **OK** to apply the changes.

- If Parallels Management Console is installed on a Windows-based physical computer, you can also choose **Use automatic configuration script** to automatically configure the proxy server settings.

If you chose **Use automatic configuration script**, you should provide the path to this script in the **Address** field. Then click **OK** to apply the changes.

## CHAPTER 3

# Working With a Parallels Physical Server

## In This Chapter

Registering a New Parallels Physical Server .....	27
Activating a Parallels Physical Server .....	29
Connecting to a Registered Parallels Physical Server.....	30
Editing Parallels Physical Server Settings .....	31
Disconnecting From a Parallels Physical Server.....	48
Removing a Parallels Physical Server.....	49

---

## Registering a New Parallels Physical Server

To start managing Parallels physical servers and their virtual machines via Parallels Management Console, first, you should register these servers in Parallels Management Console.

To register a Parallels physical server:

- 1 Launch Parallels Management Console and do one of the following:
  - choose **Add Server** from the **Server** menu
  - right-click the Parallels Management Console sidebar (p. 13) and choose **Add Server** from the shortcut menu

The Parallels Server Login dialog will open.

- 2 In the Parallels Server Login dialog, specify the server you want to register and your user account properties.

---

**Note:** To be able to register a Parallels physical server, you should have an account on it.


---

- **Server.** In this field, type the Parallels physical server IP address or hostname. You can also choose the server to connect to from the **Server List** available in the **More Options** area.

By default, Parallels physical server listens for connections on port 64000. If the listening port number differs from the default, type the number of the port right after the server IP address. For example, if Parallels physical server uses port 64001 for connections, type 127.0.0.1:64001 into the **Server** field.

- **User Name.** In this field, type your user login for this server.
- **Password.** In this field, type your password to access this server.

If you want Parallels Management Console to remember your login and password, select the **Save Password** option. With this option selected, you do not need to specify your user account properties each time you connect to this server.



- 3 Expand the **More Options** area to see the list of the servers available on the current network and specify additional settings:

- **Server List.** This list contains Parallels physical servers found on the network. It displays the server's hostname, its IP address, and the type of primary OS installed in it.

---

**Note:** This list will be populated by those servers that currently appear on the network and can receive the broadcast message.

---

- **Connection Security.** In this field, you can choose the security level for the connection between Parallels Management Console and the Parallels physical server. You can change the level later in the **Login** pane (p. 34) of the **Server Settings** dialog.
  - **Use Data Compression.** If you select this option, the data sent between Parallels Management Console and the Parallels physical server will be compressed. If you use low-speed connections, select this option to improve the data transfer speed. You can change this setting later in the **Login** pane (p. 34) of the **Server Settings** dialog.
- 4 Click **Add Server**. The selected server will appear in the Parallels Management Console sidebar (p. 13).

To connect to this server by default when you launch Parallels Management Console, edit the **Login** settings (p. 34) in the **Server Settings** dialog.

---

## Activating a Parallels Physical Server

When you connect to a Parallels physical server that is not activated, the *'Your copy of Parallels Server is not activated.'* message appears. If the server is not activated, you can create new virtual machines and edit their configuration. However, you cannot run these virtual machines and install guest operating systems in them.

---

**Note:** Parallels Management Console does not require activation.

---

To activate Parallels Server:

- 1 Click **Activate Product** when you see the aforementioned message or choose **Activate Product** from the Help menu. The **Activate Product** dialog will appear:

**Activate Product**

Server: 10.30.17.229

Name:

Organization:

Activation Key:   
(mandatory)

**This copy of Parallels Server is not activated.**

You can find the activation key in the product box from a retail store or in the e-mail confirming your online purchase. If you don't have a valid activation key, [purchase a permanent activation key](#) or get a [free trial activation key](#) to activate the copy.

OK Cancel

- 2 Fill out the following fields in this dialog:
  - **Name.** Enter your name (optional).
  - **Organization.** Enter the name of your organization (optional).
  - **Activation Key.** Enter the product key for your copy of Parallels Server.
- 3 Click OK. If the product key is correct, your copy of Parallels Server will be successfully activated.

---

**Note:** Parallels Server should be activated only once.

---

---

## Connecting to a Registered Parallels Physical Server

When you start Parallels Management Console, all registered Parallels physical servers appear as disconnected, except the server specified as the default server to connect (p. 34).

---

**Note:** Only one server can be set as the default server to connect.

---

To connect to a registered Parallels physical server:

- 1 Launch Parallels Management Console and do one of the following:
  - In the sidebar (p. 13), right-click the server you want to connect to and choose **Connect** from the shortcut menu.
  - In the sidebar (p. 13), select the server you want to connect to and choose **Connect** from the **Server** menu.
- 2 In the **Parallels Server Login** dialog, specify your user name and password for the server.

---

**Note:** To be able to connect to the selected Parallels physical server, you should have an account on it.

---



If you want Parallels Management Console to save your login and password for future instances, select **Save Password**. With this option selected, you do not need to specify your user account properties each time you connect to this server.

- 3 Click **Connect** to connect to the server.

If your copy of Parallels Server is not activated, the corresponding message will appear. To be able to work with Parallels virtual machines on this server, you should activate Parallels Server. For detailed information on activating Parallels Server, refer to [Activating Parallels Server](#) (p. 29).

---

## Editing Parallels Physical Server Settings

When working with a Parallels physical server via Parallels Management Console, you can change some of the server settings. You can:

- change the server name
- change the default folder where the virtual machines files are stored
- specify the default login and password for connecting to the server
- change the connection security level
- change the default folder where virtual machines backups are stored
- adjust the amount of memory allocated to virtual machines
- change the PCIe devices assignment
- create new virtual networks and edit the settings of the default ones

Server settings can be changed using the **Server Settings** dialog. To open this dialog, do one of the following:

- In the sidebar (p. 13), select a Parallels server and choose **Edit Settings** from the **Server** menu.
- In the sidebar (p. 13), right-click a Parallels server and choose **Edit Settings** from the context menu.
- In the sidebar (p. 13), select a Parallels server and click **Edit Settings** in the server **Summary** pane.

The detailed information on editing the server settings is given in the following subsections.

## Server Settings Dialog

The Server Settings dialog allows you to edit some settings of the registered Parallels physical server.

To open the dialog, do one of the following:

- In the sidebar, select a Parallels physical server and choose **Edit Settings** from the **Server** menu.
- In the sidebar, right-click the Parallels physical server icon and choose **Edit Settings** from the shortcut menu.
- In the sidebar, select a Parallels physical server and click **Edit Settings** on the server **Summary** pane.

The Server Settings dialog consists of the following panes:

- **General.** In this pane, you can change the server name and specify the default folder for storing virtual machine files.
- **Login.** In this pane, you can specify the login settings for connecting to this server.
- **Security.** In this pane, you can set the security level for the connection between Parallels physical server and client applications connecting to it.
- **Backup.** In this pane, you can specify the place where virtual machines backups will be stored.
- **Memory.** In this pane, you can set the amount of memory allocated to virtual machines running on this server.
- **Feedback.** In this pane, you can choose whether you want to participate in our Customer Experience Program or not.
- **Intel VT-d.** In this pane, you can specify the Parallels physical server PCI devices assignment.
- **Virtual Networks.** Under this item, you can create virtual networks and configure their settings.


---

**Note:** You can manage the Security, Memory and Network settings only if you have the administrator rights for the Parallels physical server and it is not disconnected.

---

## General Options

In the **General** pane, you can give a name to the Parallels server or change it if it already exists. You can also change the default folder for the virtual machines files. The files of new virtual machines created on the server will be placed to this folder.



### Custom Name

In this field, you can give a name to the server or change it if it already exists. This name will be displayed in the Parallels Management Console sidebar (p. 13) and visible only in your Parallels Management Console.

---

**Note:** The server name must be unique and cannot be given to another registered Parallels server.

---

### Default Folder for Virtual Machines

The default folder for virtual machines depends on the Parallels product installed on the Parallels server:

 For Parallels Server for Mac, it is: `/Users/Shared/Parallels/`

 For Parallels Server Bare Metal, it is: `/var/Parallels/`

 For Parallels Server 4.0 for Mac Bare Metal Edition, it is: `/var/Parallels/`


To change the default folder, type the path to it or click the **Choose** button to locate the folder.

### Restore Defaults

To apply the default settings, click **Restore Defaults**.

## Login Options

In the Login pane, you can specify the login settings for connecting to the Parallels server.



- **The current user.** Enable this option to connect to the server with the same user account that you used to log in to the primary operating system installed on this server.

---

**Note:** This option is available for the *localhost* server only, which is the server with IP address 127.0.0.1 on your network.

---

- **This user.** Enable this option and specify the user name and password to connect to this server. The name and the password you enter should be valid for the Parallels server. If you want to save the user name and password, select **Save Password**.
- **Connect to this server by default.** Enable this option if you want to connect to this Parallels server automatically when you start Parallels Management Console. You can also set the level of security when connecting to the server. For more information about the security levels, refer to **Security Options** (p. 35).

---

**Note:** You can set only one server as the default for the connection.

---

- **Use Data Compression.** If you select this option, the data sent between Parallels Management Console and Parallels Server will be compressed. If you use low-speed connections, select this option to improve the data transfer speed.


### Restore Defaults

To apply the default settings, click **Restore Defaults**.

## Security Options

In the Security pane, you can set the level of security for incoming connections to the Parallels server.

The security levels regulate the encryption of data between the server and client applications connected to it.



## Minimum Connection Security

- **High.** The most protected connection type. All types of data transmitted between the Parallels server and Parallels Management Console are encrypted. It may result in a lower performance of the virtual machine's graphical console in client applications installed remotely.
- **Medium.** The optimal level of data protection. The commands, events, and input data transmitted between the Parallels server and Parallels Management Console are encrypted, while the video and devices data is not encrypted. This level of security allows to encrypt the most important data without affecting the virtual machine's graphical console performance. This security level is the recommended one.
- **Low.** The fastest type of connection security that is less protected than the other connection modes. The data transmitted between the Parallels server and Parallels Management Console is not encrypted.

After you have set the security level, you should restart the Parallels Server application to save the changes. To restart the Parallels Server application, execute the following commands in Terminal:

```
sudo launchctl stop com.parallels.server.launchdaemon
```

When prompted, enter the administrator's password.


```
sudo launchctl start com.parallels.server.launchdaemon
```

## Restore Defaults

To restore the default settings, click Restore Defaults.

## Backup Options

In the Backup pane, you can view and change the place where virtual machines backups are stored.



Local server. With this option selected (it is selected by default), if you create a virtual machine backup, it will be stored on this Parallels server in the following default directory:

-  On Mac OS X: `/Users/Shared/Parallels/Backups`
-  on a server running Parallels Server Bare Metal: `/var/parallels/backups`
-  on a server running Parallels Server 4.0 for Mac Bare Metal Edition: `/var/parallels/backups`

However, if you want to change the default directory where the backups will be stored, in the opposite field, indicate the path to a new folder or click the **Choose** button and locate the folder manually.

Other server. Select this option if you want virtual machines backups to be stored on a remote Parallels server. In the opposite field, type the IP address or hostname of this server. If it requires authentication, type the corresponding credentials in the **User Name** and **Password** fields.


### Restore Defaults

To apply the default settings, click **Restore Defaults**.

## Memory Options

In the **Memory** pane, you can set the maximum amount of memory (RAM), which the Parallels server operating system will reserve for managing the Parallels Server application and all virtual machines running simultaneously on the server.

**Note:** To set the amount of memory (RAM) for each particular virtual machine, use the **Virtual Machine Configuration** dialog, the **Memory Settings** pane (p. 103).



## Memory allocated to server

By default, the amount of RAM is adjusted automatically. But you can set the needed value manually by selecting the **Manually** option and using the slider to set the required amount of memory.

---

**Note:** The resulting amount of memory will be shared between all virtual machines running on this server.


---

## Restore Defaults

To apply the default settings, click **Restore Defaults**.

## Feedback Options

Using the Feedback pane, you can join the Parallels Customer Experience Program.



If you choose to participate in the program, Parallels will collect information about your host computer and virtual machines configuration. The collected information will help us to make the product better fit your needs.

If you join, only the following types of data will be collected:

- hardware configuration of the host computer;
- software configuration of the host computer and virtual machines (the names and versions of the operating systems and software installed in them);
- configuration files of virtual machines;

Any types of private information like your name, e-mail, address, phone number, and keyboard input will not be collected.

For more details, visit the Customer Experience Program page at the Parallels website (follow the link in the pane).


## Intel VT-d

In the Intel VT-d pane, you can assign some of the Parallels server PCI Express (PCIe) devices to your virtual machines.

---

**Note:** This pane is available in Parallels Management Console only if the Parallels server supports the Intel VT-d technology and the Intel VT-d support is enabled in BIOS.

---



The table presented in the **Intel VT-d** pane consists of the following columns:

- The **PCIe Devices** column lists all PCIe devices available to the Parallels server.
- In the **Assignment** column, you can see the assignments of these PCIe devices. There are two types of assignments:
  - **Host Computer**. If you select this assignment, the device will be available to the Parallels server only.
  - **Virtual Machines**. If you select this assignment and click **OK**, an appropriate pass-through driver will be automatically installed into the Parallels server. This driver will make the PCIe device invisible. It will enable you to assign this device directly to a virtual machine. To use the device in a virtual machine, you should add it to the virtual machine configuration with the help of **Add Hardware Wizard** (p. 127).

### Restore Defaults

To apply the default settings, click **Restore Defaults**.

## Virtual Networks

Virtual networks are special essences that exist between the network adapters of a Parallels server and network adapters of its virtual machines. Virtual networks help to avoid various problems with virtual machines network connectivity that may appear after you migrate a virtual machine from one Parallels server to another. There are three types of virtual networks created by default:

- Shared
- Host-Only
- Bridged

### Shared virtual network

Only one Shared virtual network can be created on a Parallels server. If the virtual machine network adapter is connected to the Shared virtual network, the Network Address Translation (NAT) feature will be enabled for the virtual machine. In this case, the virtual machine will share whatever network connection is currently used by the Parallels server.

The virtual machine connected to the Shared virtual network uses the IP address of the Parallels server to connect to the Internet. To allow external connections to the virtual machine from the Internet, you should add a port forwarding rule (p. 43).

For more information about Shared virtual network settings, refer to **Shared Virtual Network Settings** (p. 42).

### Host-Only virtual network

You can create several Host-Only virtual networks on a Parallels server. A virtual machine connected to the Host-Only virtual network can connect to the Parallels server and virtual machines connected to this Host-Only network. If you have, for example, two Host-Only virtual networks, the virtual machines connected to the first Host-Only virtual network will be able to connect to each other and to the Parallels server but they will not be able to connect to the virtual machines connected to the second Host-Only virtual network.

For more information about Host-Only virtual network settings, refer to **Host-Only Virtual Network Settings** (p. 45).


### Bridged virtual network

You can create several Bridged virtual networks on a Parallels server. A virtual machine connected to the Bridged virtual network will be able to connect to the local network and Internet through one of the network adapters or ethernet interfaces available to the Parallels server. In this case, the virtual machine is treated as a stand-alone computer on the network and should be configured in the same way as a real one.

For more information about Bridged virtual network settings, refer to **Bridged Virtual Network Settings** (p. 47).

## Shared Virtual Network Settings

In the Shared pane, you can specify the Shared virtual network settings.



In the **Type** menu, you can review or change the type of the selected virtual network.

In the **Name** field, you can specify the virtual network name.

In the **Description** field, you can type a short description for the virtual network.

In the **Network Adapter** menu, select the network adapter that will be connected to this virtual network.


### Specifying Host IP Address and Network Mask

If you click **Advanced** in the Shared pane of the Server Settings window, the **Advanced Network Settings** window will be displayed. In this window, you can specify the host IP address and network mask in the Parallels adapter IP address and Subnet mask fields.

When finished, click **OK**.

## Adding Port Forwarding Rule

Normally, virtual machines connected to the shared virtual network cannot be accessed from external computers. The port forwarding functionality allows computers on your local network and the Internet to transfer data to any of your virtual machines that are connected to the shared virtual network. The data sent to a specific port on the Parallels server will be redirected to a specific port of your virtual machine according to a port-forwarding rule. This rule can be added in the NAT tab of the **Advanced Network Settings** window.



To add a new port forwarding rule:

- 1 Click the Add button  below the Port forwarding table.
- 2 In the displayed window, do the following:



- In the **Port Type** field, specify the port type you want to use for establishing network connections. You can choose between the **TCP** or **UDP** port types.
- In the **Incoming Port** field, provide the port number on the Parallels server you want to use for data transfer.
- In the **IP Address** field, indicate your virtual machine IP address.
- In the **Destination Port** field, type the virtual machine's port the data will be transferred to.

**3** Click **OK** to add the rule.

When the rule is added, use the following IP address combination for external connections to your virtual machine: <Parallels physical server IP address>:<Incoming port>.


To edit an existing port forwarding rule, select it in the **Port forwarding** table, click the **Edit** button , and modify the necessary parameters in the displayed window.

To remove a port forwarding rule, select it in the **Port forwarding** table and click the **Remove** button .

### Enabling Parallels DHCP Server

Parallels DHCP server automatically assigns IP addresses to your virtual machines connected to the shared virtual network from the IP addresses range. To enable Parallels DHCP server and specify its settings, do the following:


- 1** In the **Shared** pane of the **Server Settings** window, click **Advanced** and go to the **DHCP** tab.



- 2 Select the **Enable DHCP Server** option to enable the Parallels DHCP server.
- 3 If necessary, configure the start and end IP addresses in the **Start address** and **End address** fields. The **Start address** and **End address** values determine the first and the last IP addresses with the first address usually assigned to the DHCP server itself. The second address is usually given to the host OS. Other addresses are assigned to virtual machines. The scope of IP addresses defined should belong to the same subnet.
- 4 Click **OK**.

## Host-Only Virtual Network Settings

In the **Host-Only** pane, you can specify the **Host-Only** virtual network settings.



In the **Type** menu, you can review or change the type of the selected virtual network.


In the **Name** field, you can specify the virtual network name.

In the **Description** field, you can type a short description for the virtual network.

In the **Network Adapter** menu, select the network adapter that will be connected to this virtual network.

### Specifying Host-Only Virtual Network Advanced Settings

If you click **Advanced** in the **HostOnly** pane of the **Server Settings** window, the **Advanced Network Settings** window will be displayed.




In this window, you can specify the following settings:

- Specify the host IP address and network mask in the **Parallels adapter IP address** and **Subnet mask** fields.
- Select the **Enable DHCP Server** option to enable the Parallels DHCP server. This server will automatically assign IP addresses to your virtual machines connected to the Host-Only virtual network from the IP addresses range defined in the appropriate fields below this option.

If necessary, configure the start and end IP addresses in the **Start address** and **End address** fields. The **Start address** and **End address** values determine the first and the last IP addresses with the first address usually assigned to the DHCP server itself. The second address is usually given to the host OS. Other addresses are assigned to virtual machines. The scope of IP addresses defined should belong to the same subnet.

## Bridged Virtual Network Settings

In the Bridged pane, you can specify the Bridged virtual network settings.



In the **Type** menu, you can review or change the type of the selected virtual network.

In the **Name** field, you can specify the virtual network name.


In the **Description** field, you can type a short description for the virtual network.

In the **Network Adapter** menu, select the network adapter that will be connected to this virtual network.

## Adding a Virtual Network

To add a virtual network, do the following:

- 1 In the **Server Settings** window, click the **Add** button  to open the **New Virtual Network** window.



- 2 Select the virtual network type.

---

**Note:** Only one Shared virtual network can be created on a Parallels server. If you already have the Shared virtual network, this option will be grayed out.

---

If you select Bridged Ethernet, choose the network adapter that will be connected to the Bridged virtual network from the **Network Adapter** menu. This menu lists all network adapters and ethernet interfaces available to the Parallels server.

- 3 Click **OK**.

---

## Disconnecting From a Parallels Physical Server

If you consider that you temporarily do not need to work with any of Parallels servers to which your Parallels Management Console is connected, you can easily disconnect from it.

To disconnect from a Parallels server, select this server in the sidebar (p. 13) and do one of the following:

- choose **Disconnect** from the **Server** menu
- right-click the server in the sidebar (p. 13) and choose **Disconnect** from the shortcut menu
- choose **Disconnect** in the **Operations** section of the server's **Summary** tab

---

## Removing a Parallels Physical Server

If you do not need to work with any of the registered Parallels servers any more, you can remove it from the Parallels Management Console sidebar (p. 13).

To remove a Parallels server, select it in the sidebar (p. 13) and do one of the following:

- choose **Remove** from the **Server** menu
- right-click the server and choose **Remove** from the context menu

## CHAPTER 4

# Setting Up a Virtual Machine

You can create a new or add an existing virtual machine to your Parallels physical server using:

 New Virtual Machine Wizard or Add Existing Virtual Machine Wizard if Parallels Management Console is installed on a Windows- or Linux-based computer

 New Virtual Machine Assistant or Add Existing Virtual Machine Assistant if Parallels Management Console is installed on a Mac-based computer

---

**Note:** In this guide, we will use the *New Virtual Machine Wizard* and *Add Existing Virtual Machine Wizard* terms.

---

The process of creating a virtual machine comprises the following steps:

- Creating a virtual machine configuration.
- Installing a guest operating system.

To check the list of supported guest operating systems available for Parallels Server for Mac, refer to *Parallels Server for Mac User's Guide*.

To check the list of supported guest operating systems available for Parallels Server Bare Metal, refer to *Parallels Server Bare Metal User's Guide*.

To check the list of supported guest operating systems available for Parallels Server 4.0 for Mac Bare Metal Edition, refer to *Parallels Server 4.0 for Mac Bare Metal Edition User's Guide*.

- Installing Parallels Tools.

These steps are described in the following sections in detail.

## In This Chapter

Creating a New Virtual Machine .....	50
Installing a Guest Operating System.....	61
Using Parallels Tools .....	63
Adding an Existing Virtual Machine .....	73

---

## Creating a New Virtual Machine

This section describes how to create a virtual machine using New Virtual Machine Wizard.

## New Virtual Machine Wizard

The wizard offers several installation modes. You can choose the mode that better fits your needs or your experience with Parallels Management Console. Regardless of what mode you select, you will be able to change the configuration of the virtual machine later using the **Virtual Machine Configuration** dialog (p. 86).

### Express Windows or Linux Installation

New Virtual Machine Wizard not only creates a virtual machine configuration, but also automatically installs the corresponding guest OS in it. It is the easiest way to make a new virtual machine: you only need to insert an installation disc with the guest operating system or specify the path to its image file, and New Virtual Machine Wizard will do the rest (including the installation of Parallels Tools).

For more information on these installation modes, see **Express Windows Installation Mode** (p. 52) or **Express Linux Installation Mode**.

### Typical Installation

This installation mode is designed for new users and for fast virtual machine creation. You only have to specify the type and version of the guest operating system that you wish to install and where you wish to store the virtual machine files.

New Virtual Machine Wizard starts the installation of the guest OS as interactive installation.

For more information on this installation mode, see **Typical Installation Mode** (p. 54).

### Custom Installation

This installation mode is intended for experienced users only. It allows the user to create configurations other than the typical ones. In this mode, the user is prompted to specify such options for the basic hardware as the amount of RAM, the size and format of a virtual hard disk, and networking parameters. Additional devices can be added later, using the **Virtual Machine Configuration** dialog (p. 86). After New Virtual Machine Wizard creates a virtual machine configuration, it starts installing the guest OS if such an option was selected.

For more information on this installation mode, see **Custom Installation Mode** (p. 56).

### Default Folders for Virtual Machines

By default, a new virtual machine folder will be created in the following directories:

-  Mac OS X: `/Users/Shared/Parallels/`
-  Parallels Server Bare Metal: `/var/Parallels/`
-  Parallels Server 4.0 for Mac Bare Metal Edition: `/var/Parallels/`

However, you can select another folder that will be used as the default folder for your virtual machines.

To specify another default destination for saving virtual machines, do the following:

- 1 Choose **Edit Settings** from the **Server** menu.
- 2 On the **General** tab of the **Server Settings** window, specify the default destination for new virtual machines in the **Default Folder for Virtual Machines** field.


---

**Note:** You can also specify a folder for a virtual machine during its creation. An existing virtual machine can also be moved to a different folder after it is created.

---

## Express Windows Installation Mode

- 1 Start Parallels Management Console and launch **New Virtual Machine Wizard** by choosing **New** from the **File** menu.
- 2 In the **Select Operating System Type and Version** window, select the **Windows 7**, **Windows Vista**, **Windows XP**, or **Windows Server 2003** guest OS and click **Next**.
- 3 In the **Virtual Machine Type** window, select **Express Windows** and click **Next**.
- 4 In the **Name and Location** window, define the name and location for your virtual machine:
  - **Name.** Indicate an arbitrary name to be assigned to the virtual machine. By default, the virtual machine gets the same name as the operating system that will be installed inside this virtual machine. If a virtual machine with such a name already exists, you will be prompted to indicate another name. The name must not exceed 50 characters.
  - **Location.** Use the **Choose** button if you want to change the default location of the virtual machine-related files.



Click Next.

- 5 In the **Express Windows Installation** window, specify your user details and the Windows product key necessary for the Windows guest OS installation.

---

**Note:** If you do not enter the Windows product key in this step, you will have to provide it later when the Windows guest OS installation starts.

---

If you are installing a 64-bit version of the guest operating system, select **64-bit Windows version**.

If you click the **Advanced** button, you can set the number of CPUs and the amount of RAM to your future virtual machine.

Click **Create**.

- 6 When the virtual machine is created, in the **Prepare to Install Operating System** window, specify the source of installation files and click **Start**.


Select the installation source in the **Placement** list. Choose **Physical Server** if your source installation files are located on the Parallels server or choose **Client Computer** if the source installation files are located on the physical computer where Parallels Management Console is installed. If Parallels Management Console is installed on the Parallels server, in the **Placement** list, you will be able to choose only **Physical Server**.

Specify the path to the source installation files. If you want to use a disc inserted into the CD/DVD drive of the computer, choose this drive from the **Source** menu. If you want to use a CD/DVD disc image connected to the virtual machine's CD/DVD drive, click the **Source** menu and use **Choose an image file** to locate the file.

---

**Note:** Parallels Management Console does not provide users with OS ISO images or OS installation discs. You should purchase an OS installation disc or an OS ISO image if you do not have any.

---




- 7 After you click **Start**, New Virtual Machine Wizard will automatically start the new virtual machine and install the guest operating system in it. After the guest OS installation, Parallels Management Console will install Parallels Tools in the virtual machine.

During the unattended installation, Parallels Management Console creates an administrator account with a blank password. When the guest OS installation is complete, we recommend that you change the password in order to protect the safety of your data. For detailed information on changing the administrator's password, please refer to the documentation shipped with your Windows guest operating system.

## Typical Installation Mode

To create a typical virtual machine:

- 1 Start Parallels Management Console and launch New Virtual Machine Wizard by choosing **New** from the **File** menu.
- 2 In the **Select Operating System Type and Version** window, select the operating system you are planning to install inside your virtual machine and click **Next**.
- 3 In the **Virtual Machine Type** window, select **Typical** and click **Next**.
- 4 In the **Name and Location** window, define the name and location for your virtual machine:
  - **Name.** Indicate an arbitrary name to be assigned to the virtual machine. By default, the virtual machine gets the same name as the operating system that is planned to be installed inside this virtual machine. If a virtual machine with such a name already exists, you will be prompted to indicate another name. The name must not exceed 50 characters.
  - **Location.** Use the **Choose** button if you want to change the default location of the virtual machine-related files.




Click **Next**.

- 5 When the virtual machine is created, in the **Prepare to Install Operating System** window, specify the source of installation files and click **Start**.

Select the installation source in the **Placement** list. Choose **Physical Server** if your source installation files are located on the Parallels server or choose **Client Computer** if the source installation files are located on the physical computer where Parallels Management Console is installed. If Parallels Management Console is installed on the Parallels server, in the **Placement** list, you will be able to choose only **Physical Server**.

Specify the path to the source installation files. If you want to use a disc inserted into the CD/DVD drive of the computer, choose this drive from the **Source** menu. If you want to use a CD/DVD disc image connected to the virtual machine's CD/DVD drive, click the **Source** menu and use **Choose an image file** to locate the file.

**Note:** Parallels Management Console does not provide users with OS ISO images or OS installation discs. You should purchase an OS installation disc or an OS ISO image if you do not have any.



If you want to connect the installation source to the virtual machine in this step, make sure the **Connect the installation media** option is selected. If you clear this option and start the virtual machine or start it later, you will have to connect the installation source to the virtual machine manually.


To start the virtual machine and guest OS installation, click **Start**. When the installation is complete, install Parallels Tools (p. 63) if they are available for the guest OS.

If you do not want to start the virtual machine and install the guest OS, click **Done**.

## Custom Installation Mode


To create a custom virtual machine:

- 1 Start Parallels Management Console and launch New Virtual Machine Wizard by choosing **New** from the **File** menu.
- 2 In the **Select Operating System Type and Version** window, select the guest OS you plan to install inside your virtual machine and click **Next**.
- 3 In the **Virtual Machine Type** window, select **Custom** and click **Next**.
- 4 In the **Name and Location** window, define the name and location for your virtual machine:
  - **Name.** Indicate an arbitrary name to be assigned to the virtual machine. By default, the virtual machine gets the same name as the operating system that will be installed inside this virtual machine. If a virtual machine with such a name already exists, you will be prompted to indicate another name. The name must not exceed 50 characters.
  - **Location.** Use the **Choose** button if you want to change the default location of the virtual machine-related files.




Click Next.

- 5 In the CPU and Memory Options window, specify the number of CPU(s) and the amount of RAM for the virtual machine and click Next. You may use the slider or arrow buttons to set the value or simply type it into the corresponding field.




- 6 In the Hard Disk Options window, select the type of virtual hard disk you want to use and click Next. You can create a new hard disk image, use an existing one, or create a virtual machine without any hard disk at all. You may need a virtual machine without a hard disk to work with live CDs/DVDs (CDs or DVDs containing a bootable operating system).



7 In the previous step, if you selected the **No hard disk** option, go to Step 8.

If you selected to use an existing image file, in the **Existing Virtual Hard Disk** window, specify the hard disk image to be connected and click **Next**.

If you selected to create a new virtual hard disk, in the **Hard Disk Options** window, specify the capacity and type for the disk and click **Next**.



- 8 In the **Networking Type** window, select the type of networking you want to use in the virtual machine and click **Next**.
  - **Virtual Network**. If you select this option, the virtual machine will be connected to one of the virtual networks (p. 41) available to the Parallels server.
  - **Direct Assignment (using Intel VT-d)**. This option is available only if you have a PCIe network adapter and the Intel VT-d technology is enabled in the Parallels server. If you select this option, the virtual machine will be able to access the local network and Internet through a PCIe network adapter.
  - **No Networking**. If you select this option, the virtual machine will have no network adapter.

---

**Note:** You may reconfigure the networking settings after the virtual machine is created, using the **Virtual Machine Configuration** dialog (p. 86).

---

- 9 In the previous step, if you selected the **No Networking** option, go to Step 10.

If you selected the **Direct Assignment (using Intel VT-d)** option, in the **Network Adapter** window, select the PCIe network adapter you want to use. Before using the PCIe adapter in your virtual machine, you need to assign it to your virtual machines in the **Intel VT-d** pane (p. 39) of the **Server Settings** dialog (p. 32) and install the manufacturer's driver for this PCIe device inside the virtual machine. The driver should support the Intel VT-d technology.

If you selected the **Virtual Network** option, in the **Network Adapter** window, select the virtual network (p. 41) to which the virtual machine network adapter will be connected.
- 10 In the **Optimization Options** window, select the optimization mode you prefer and click **Create**. The available options are:
  - **Virtual machine (Recommended)**. Select this option to allocate more host computer resources to the virtual machine and its applications.
  - **Host Computer**. Select this option to allocate more resources to the host computer and its applications.
- 11 When the virtual machine is created, in the **Prepare to Install Operating System** window, specify the source of installation files and click **Start**.


Select the installation source in the **Placement** list. Choose **Physical Server** if your source installation files are located on the Parallels server or choose **Client Computer** if the source installation files are located on the physical computer where Parallels Management Console is installed. If Parallels Management Console is installed on the Parallels server, in the **Placement** list, you will be able to choose only **Physical Server**.

Specify the path to the source installation files. If you want to use a disc inserted into the CD/DVD drive of the computer, choose this drive from the **Source** menu. If you want to use a CD/DVD disc image connected to the virtual machine's CD/DVD drive, click the **Source** menu and use **Choose an image file** to locate the file.

---

**Note:** Parallels Management Console does not provide users with OS ISO images or OS installation discs. You should purchase an OS installation disc or an OS ISO image if you do not have any.

---



To start the virtual machine and guest OS installation, click **Start**. When the installation is complete, install Parallels Tools (p. 63) if they are available for the guest OS.

If you do not want to start the virtual machine and install the guest OS, click **Done**.

---

## Installing a Guest Operating System

You can install a guest operating system in a virtual machine from a CD or DVD, or from an image file of such CD/DVD. Some operating systems are available on CD/DVD disc images only.

In some cases, the installation cannot be performed from a real CD/DVD disc because of disc reading problems. In such cases, it is recommended that you try to install the operating system from a CD/DVD disc image of this disc. ISO images of CD/DVD discs can be created using a third party imaging utility.

You can also install the guest operating system using a PXE server via network.

Some operating systems are installed only from floppy disks. If your computer does not have floppy drives, you can install such operating systems using images of installation diskettes or using real floppy disk drives inserted into an external USB floppy disk drive. You can create floppy disk images using third-party applications.

### Installing from a CD/DVD disc or its image

- 1 Select the virtual machine and make sure that it is stopped.
- 2 To connect the installation medium, open Virtual Machine Configuration by:
  - right-clicking the machine and choosing **Configure** from the shortcut menu, or
  - choosing **Configure** from the **Virtual Machine** menu.
- 3 Open the **CD/DVD-ROM** settings and configure the virtual **CD/DVD-ROM** drive settings.
  - If you are installing from a real **CD/DVD**:  
Select the **Real Device** option and specify the real drive to connect in the **CD/DVD-ROM** list.  
Insert the **CD/DVD** disc with the operating system files into the appropriate drive of the computer.
  - If you are installing from an image file:  
Select the **Image file** option and specify the path to the image file in the **File** field.

---

**Note:** You can use ISO and DMG images for installing the guest operating system. CUE and CCD images may be also supported.

---

- 4 Click **OK** in Virtual Machine Configuration to save the changes.
- 5 Start your virtual machine by clicking **Start** .

The installation will launch soon after the virtual machine is started.

---

**Note:** If you need to press any keys inside the virtual machine during the guest OS installation, first click inside the virtual machine window to capture the keyboard and mouse input and then press the corresponding keys. To release the keyboard and mouse, press **Ctrl+Alt**. For more information, refer to **Capturing and Releasing the Keyboard and the Mouse** (p. 79).

---

### Installing from the network

- 1 Choose **Configure** from the **Virtual Machine** menu to open Virtual Machine Configuration.
- 2 Click the Add button  in the bottom part of the Virtual Machine Configuration dialog to launch Add Hardware Wizard.
- 3 Add a network adapter to your virtual machine configuration.
- 4 Open the **Boot Order** pane in Virtual Machine Configuration and change the boot sequence to make the virtual network adapter the first device in the sequence. To do this, select **Network Adapter** in the list, and use the arrow buttons to move it to the top of the list.
- 5 Click OK to apply the changes.



- 6 Start the virtual machine by clicking **Start**  on the toolbar.

Soon after your virtual machine is started, a list of available PXE servers will appear.

During the installation, when the guest OS reboots for the first time, or after the installation, return the boot sequence to booting from the hard disk.

### Installing from a floppy disk image

- 1 Select the virtual machine and make sure that it is stopped.
- 2 To connect the installation medium, open Virtual Machine Configuration by:
  - right-clicking the machine and choosing **Configure** from the shortcut menu, or
  - choosing **Configure** from the **Virtual Machine** menu.
- 3 Select the **Floppy Disk** pane in the sidebar and specify the path to the floppy image disk file in the **Image File** field.
- 4 Click OK to apply the changes



- 5 Start the virtual machine by clicking **Start**  on the toolbar.

The installation will launch soon after the virtual machine is started.

### Reinstalling the guest OS

The procedure of reinstalling the guest OS is the same as the procedure of installing the guest OS: provide the installation media or its image, connect it to the virtual machine, and start the virtual machine. The reinstallation will launch soon after the virtual machine is started.

---

**Note:** You can reinstall the guest OS of the same type only. However, you are free to choose the guest OS version.

---

Keep in mind that in some cases, it is easier just to create a new virtual machine, install the guest OS, and delete the old machine after moving all the necessary data to the new one.

---

## Using Parallels Tools

Parallels Tools are a suite of special utilities that help you use your virtual machines in the most comfortable and efficient way. With Parallels Tools, you can move the mouse seamlessly outside the guest OS window without pressing any key, change the virtual machine's screen resolution by simply resizing its window, synchronize your virtual machine's time and date settings with the time settings of the host computer, and share the host computer disks and folders with its virtual machines.

Parallels Tools are located on the disc images that are installed along with Parallels Server Bare Metal or Parallels Server for Mac. There is a separate Parallels Tools disc image for each type of the supported guest operating systems.

- `prl-tools-win.iso` - disc image with Parallels Tools for Windows guest operating systems.
- `prl-tools-lin.iso` - disc image with Parallels Tools for Linux guest operating systems.
- `prl-tools-mac.iso` - disc image with Parallels Tools for Mac OS X guest operating systems.

---

**Note:** You can create virtual machines with Mac OS X guest operating systems only on Intel-based Macs.

---

- `prl-tools-other.iso` - disc image with Parallels Tools for other guest operating systems.

These disc images can be found in the following locations:

-  in Mac OS X: `/Library/Parallels/Tools/`
-  in Parallels Server Bare Metal: `/usr/share/parallels-server/tools/`
-  in Parallels Server 4.0 for Mac Bare Metal Edition: `/usr/share/parallels-server/tools/`

## Parallels Tools Availability

Parallels Tools are available for the following guest operating systems:

### Windows

- Windows 2000
- Windows Server 2003
- Windows XP
- Windows Vista
- Windows Server 2008
- Windows 7

### Linux

Any supported Linux guest operating systems that have the following packages installed:

- `x.org 6.7` and later
- `glibc2.4` and later

### Mac

- Any supported Mac OS X guest operating systems.

---

**Note:** You can create virtual machines with Mac OS X guest operating systems only on Intel-based Macs.

---

## Installing Parallels Tools in a Windows Guest OS

If you created your virtual machine using the *Express Windows* mode, Parallels Tools were installed automatically after the installation of the Windows guest operating system.

If your virtual machine was created in the *Typical* or *Custom* mode, do the following to install Parallels Tools in it:

- 1 Start the virtual machine and log in to the guest operating system.
- 2 When the guest OS boots up, connect the Parallels Tools ISO image by choosing the **Install Parallels Tools** option from the **Virtual Machine** menu.

---

**Note:** If the **Install Parallels Tools** option is grayed out, make sure that Parallels Tools can be installed in your guest operating system. To see the list of guest OSs supported by Parallels Tools, refer to **Parallels Tools Availability** (p. 64).

---

- 3 In the **Welcome** window, click **Install**. The wizard will start the automatic installation.
- 4 When the installation is complete, click **Reboot** to exit the wizard and restart the virtual machine.

### Reinstalling Parallels Tools

To reinstall Parallels Tools, start your virtual machine, and select **Reinstall Parallels Tools** from the **Virtual Machine** menu. This option is available only if Parallels Tools are up-to-date. If Parallels Tools are outdated, you will see the **Update Parallels Tools** option instead.

### How to check if Parallels Tools are installed

If you are not sure whether Parallels Tools are installed, you can easily check this. Start your virtual machine and look at the status bar of its window: if the tip "Press Ctrl + Alt to release the mouse and keyboard" appears in the status bar of the virtual machine's window, this means that Parallels Tools are not installed. When Parallels Tools are installed, you do not need to press any key to release the mouse and keyboard - they are released automatically.

## Installing Parallels Tools in a Linux Guest OS

Before installing Parallels Tools in a Linux guest OS, perform the following actions:

- Close all applications in the guest operating system.
- Disable the 3D accelerated window manager if you use any.
- Make sure that you have the `gcc` package and kernel sources installed. If these packages are not installed, the Parallels Tools installer will warn you. The kernel sources package name depends on the type of Linux operating system you use: it can be `kernel-devel`, or `kernel-headers`, or something else. For more information about the kernel sources, refer to the *Installing the GCC package and Kernel Sources in Linux* (p. 179) section.

---

**Note:** To install Parallels Tools in your virtual machine, you must have the `root` privileges.

---

### Installing Parallels Tools in the most recent versions of Linux guest OSs

If you have one of the most recent versions of Linux OSs (Fedora 10) in your virtual machine, the `prl-tools-lin.iso` image file will be mounted automatically after you connect it to the CD/DVD-ROM drive. To install Parallels Tools, do the following:

- 1 Start the virtual machine.
- 2 When the guest OS boots up, click the **Virtual Machine** menu and choose **Install Parallels Tools**.

---

**Note:** If the **Install Parallels Tools** option is grayed out, make sure that Parallels Tools can be installed in your guest operating system. To see the list of guest OSs supported by Parallels Tools, refer to *Parallels Tools Availability* (p. 64).

---

The `prl-tools-lin.iso` image file will be connected to the virtual machine's CD/DVD-ROM drive and mounted.

- 3 Start a terminal in your Linux guest OS. Type the following command to gain the `root` privileges:

```
su
```

- 4 Change the directory to the CD/DVD-ROM directory using

```
cd /media/cdrom/
```

---

**Note:** In some of the Linux operating systems, the mount point for the virtual CD/DVD-ROM drive may appear as `/media/Parallels\ Tools/`.

---

- 5 In the CD/DVD-ROM directory, enter the following command to launch Parallels Tools installation:

```
./install
```

- 6 Follow the Parallels Tools Installer instructions to complete the installation.
- 7 When the installation of Parallels Tools is complete, restart your virtual machine.

### Installing Parallels Tools in other versions of Linux guest OSs

To install Parallels Tools in the older versions of Linux OSs, you have to mount the `prl-tools-lin.iso` image file manually. Do the following:

- 1 Start the virtual machine.

- 2 When the guest OS boots up, click the **Virtual Machine** menu and choose **Install Parallels Tools**.

---

**Note:** If the **Install Parallels Tools** option is grayed out, make sure that Parallels Tools can be installed in your guest operating system. To see the list of guest OSs supported by Parallels Tools, refer to **Parallels Tools Availability** (p. 64).

---

The `prl-tools-lin.iso` image file will be connected to the virtual machine's CD/DVD-ROM drive.

- 3 Start a terminal in your Linux guest OS. Type the following command to gain the `root` privileges:

```
su
```

- 4 Check if the Parallels Tools CD image is mounted by entering

```
mount | grep iso9660
```

If this command does not return anything, proceed to the next step.

If this command returns anything like

```
/dev/cdrom on /media/cdrom type iso9660 (ro,exec,nosuid,nodev,uid=0),
```

skip the next step and proceed to the following one.

If this command returns anything like

```
/dev/cdrom on /media/cdrom type iso9660 (ro,noexec,nosuid,nodev,uid=0)
```

with the `noexec` option present in parentheses, you need to unmount the disc using the following command and then proceed to the next step:

```
umount /dev/cdrom
```

- 5 To mount the Parallels Tools installation disc image, enter the following:

```
mount -o exec /dev/cdrom /media/cdrom
```

---

**Note:** `/dev/cdrom` is the virtual machine's CD/DVD-ROM drive and `/media/cdrom` is the mount point for this device. In some of the Linux operating systems the virtual CD/DVD-ROM drive may appear as `/dev/hdb` and the mount point `/mnt/cdrom`. Some Linux OSs do not have the CD/DVD-ROM mount point. In this case, you should create the mount point directory manually.

---

- 6 When the installation disc image is mounted, change the directory to the CD/DVD-ROM directory using

```
cd /media/cdrom/
```

- 7 In the CD/DVD-ROM directory, enter the following to launch Parallels Tools installation:

```
./install
```

---

**Note:** You must have the `root` privileges to run this command.

---

- 8 Follow the Parallels Tools Installer instructions to complete the installation.

When the installation of Parallels Tools is complete, restart your virtual machine.

---

**Note:** If X Server fails to start in your virtual machine, you can install Parallels Tools manually in text mode (p. 178).

---

## Reinstalling Parallels Tools

To reinstall Parallels Tools, remove them (p. 72) first, and then install them again using the above procedure.

## How to check if Parallels Tools are installed

If you are not sure whether Parallels Tools are installed, you can easily check this. Start your virtual machine and look at the status bar of its window: if the tip "Press Ctrl + Alt to release the mouse and keyboard" appears in the status bar of the virtual machine's window, this means that Parallels Tools are not installed. When Parallels Tools are installed, you do not need to press any key to release the mouse and keyboard - they are released automatically.

## Troubleshooting

Parallels Tools installer can be blocked by SELinux. To solve this problem:

- 1 Start a terminal and determine your version of kernel by entering

```
uname -r  
2.6.18-8.el5
```

2.6.18-8.el5 is the version of your kernel.

- 2 Open the `/boot/grub/grub.conf` file or `/boot/grub/menu.lst` (depends on the version of your Linux operating system) and find the entry that corresponds to your version of kernel.

```
title Red Hat Enterprise Linux Server (2.6.18-8.el5)  
    root (hd0,0)  
    kernel /vmlinuz-2.6.18-8.el5 ro root=/dev/VolGroup00/LogVol100 rhgb quiet  
    initrd /initrd-2.6.18-8.el5.img
```

- 3 Type the following text at the end of the entry:

```
selinux=0
```

and the whole entry will be:

```
kernel /vmlinuz-2.6.18-8.el5 ro root=/dev/VolGroup00/LogVol100 rhgb quiet  
selinux=0
```

- 4 Save the file and restart the virtual machine.

After the restart, mount the Parallels Tools disc image and try to install Parallels Tools.

## Installing Parallels Tools in a Mac OS X Guest OS

To install Parallels Tools in Mac OS X guest OS:

---

**Note:** You can create virtual machines with Mac OS X guest operating systems only on Intel-based Macs.

---

- 1 Start the virtual machine, and log in to the guest OS.
- 2 When the guest OS boots up, connect and mount the Parallels Tools ISO image file by choosing the **Install Parallels Tools** option from the **Virtual Machine** menu.

---

**Note:** If the **Install Parallels Tools** option is greyed out, make sure that Parallels Tools support your guest operating system. To view the list of guest OSs which are supported by Parallels Tools, refer to **Parallels Tools Availability** (p. 64).

---

- 3 Open the mounted image of the disk and double-click the **Guest OS Tools For Mac OS X** icon to start the installation.
- 4 In the **Welcome** window, click **Continue**.
- 5 In the **Select a Destination** window, specify the location for Parallels Tools. Click **Continue**.
- 6 In the **Standard Install on "Macintosh HD"** window, if you need to set a different location for Parallels Tools, you can do it by clicking **Change Install Location**. Click **Install** to continue the installation. Type the password when prompted.

In the **Installation** window, you can see the process of Parallels Tools being installed in your virtual machine.

- 7 When the installation is complete, click **Restart** to exit the assistant and restart your virtual machine.

### Reinstalling Parallels Tools

To reinstall Parallels Tools, remove them (p. 72) first, and then install them again using the above procedure.

### How to check if Parallels Tools are installed

If you are not sure whether Parallels Tools are installed, you can easily check this. Start your virtual machine and look at the status bar of its window: if the tip "Press Ctrl + Alt to release the mouse and keyboard" appears in the status bar of the virtual machine's window, this means that Parallels Tools are not installed. When Parallels Tools are installed, you do not need to press any key to release the mouse and keyboard - they are released automatically.

## Updating Parallels Tools

The procedure of updating Parallels Tools depends on the guest operating system they are installed in.

### In a Windows guest OS

Parallels Management Console automatically checks for new Parallels Tools updates when you start your virtual machine.

If a newer version of Parallels Tools is available, you will see the corresponding message offering you to update the tools. Click **Install** to update Parallels Tools. If you click nothing, updating will start automatically in a few seconds.

If you do not want to update Parallels Tools or want to do it later, click **Cancel**. You will be able to update them later by using the **Update Parallels Tools** option from the **Virtual Machine** menu.

---

**Note:** If you revert to a snapshot that was made when you had an earlier version of Parallels Tools in your virtual machine, you will also be offered to update them.

---

If Parallels Tools are up-to-date but you want to reinstall them, select the **Reinstall Parallels Tools** option from the **Virtual Machine** menu.

### In a Linux guest OS

After you update the Parallels Server application, you should manually update Parallels Tools:

Before updating Parallels Tools, perform the following actions:

- Close all applications in the guest operating system.
- Disable the 3D accelerated window manager if you use any.

To update Parallels Tools:

- 1 Start the virtual machine.
- 2 When the guest OS boots up, choose **Update Parallels Tools** from the **Virtual Machine** menu. This will connect the `prl-tools-lin.iso` image to your virtual machine's CD/DVD-ROM.
- 3 Follow the steps (from Step 3) described in **Installing Parallels Tools in Linux** (p. 66). However, when asked whether to upgrade or remove Parallels Tools, select **Upgrade** and click **Next**.

### In Mac OS X

After you update the Parallels Server application, you should manually update Parallels Tools:

- 1 Start the virtual machine.
- 2 When the guest OS boots up, choose **Update Parallels Tools** from the **Virtual Machine** menu. This will connect the `prl-tools-mac.iso` image to your virtual machine's CD/DVD-ROM.

- 3** Open the Parallels Tools CD-ROM mounted on the virtual machine's desktop and double-click the **Install** icon.
- 4** Specify your name and password when prompted.
- 5** In the **Welcome** window, click **Continue**.
- 6** In the **Select a Destination** window, specify where Parallels Tools will be installed and click **Continue**.
- 7** In the **Standard Install on "Macintosh HD"** window, click **Install**. Specify your name and password when prompted.
- 8** When the updating is complete, click **Restart** to quit the installer and restart your virtual machine.

## Removing Parallels Tools

Parallels Tools can be removed through a general procedure of removing applications from the operating system installed in your virtual machine.

### Removing from a Windows guest OS

- 1 Start the virtual machine and log in to the guest OS.
- 2 From the Windows Start menu, choose Control Panel > Add or Remove Programs. In Windows Vista, choose Control Panel > Programs and Features. In Windows 7, choose Control Panel > Programs > Programs and Features.
- 3 Select Parallels Tools in the list and click Remove.
- 4 When Parallels Tools are removed, restart the guest operating system.

### Removing from a Linux guest OS

Perform the following actions before removing Parallels Tools:

- Close all applications in the guest operating system.
- Disable the 3D accelerated window manager if you use any.

To remove Parallels Tools:

- 1 Start the virtual machine.
- 2 To remove Parallels Tools, you should connect and mount the `prl-tools-lin.iso` image and launch Parallels Tools Installer. See [Installing Parallels Tools in a Linux Guest OS](#) for detailed information how you can do it.
- 3 Follow the Parallels Tools Installer instructions. When prompted to choose the action to perform, select **Remove** and press Enter.
- 4 When Parallels Tools are successfully removed, press Enter to close the window.

### Removing from Mac OS X

- 1 Start the virtual machine, and log in to the guest OS.
- 2 To remove Parallels Tools, you should connect and mount the `prl-tools-mac.iso` image and launch Parallels Tools Installer. See [Installing Parallels Tools in Mac OS X](#) for detailed information how you can do it.
- 3 Open the mounted image of the disc and double-click the **Uninstall Parallels Tools** icon to start the uninstallation.
- 4 In the **Welcome** window, click **Uninstall**. Enter the password when prompted.
- 5 In the **Uninstallation** window, you can see the process of Parallels Tools being removed from the virtual machine.
- 6 In the **Uninstallation Completed** window, click **Restart** to finish the uninstallation and quit the assistant.


---

## Adding an Existing Virtual Machine


If you already have a virtual machine, but it is missing from the list of virtual machines registered in Parallels Management Console, you can add it to this list using Add Existing Virtual Machine Assistant (or Add Existing Virtual Machine Wizard if Parallels Management Console is installed on a Windows or Linux computer).

To add an existing virtual machine to the list of registered virtual machines:

- 1 Choose **Add Existing** from the **File** menu to launch Add Existing Virtual Machine Wizard.
- 2 In the **Introduction** window, click **Next**. If you do not want the **Introduction** window to appear in future, select **Always skip introduction**.
- 3 In the **Select a Virtual Machine** window, locate the virtual machines you want to add to the list:
  - You can set the path to a specific virtual machine's configuration file (`config.pvs`). Select the **Add a specific virtual machine** option, and type the path in the **File** field or click the **Choose** button and navigate to the necessary file. Click **Add** and go to **Step 5**.
  - You can find all virtual machines in a specific folder. Select the **Search for virtual machines in this folder** option, type the path to the necessary folder in the **Start from** field or click the **Choose** button, and navigate to it. Click **Search**.



If you chose **Search for virtual machines in this folder**, the wizard displays all unregistered virtual machines it could find in the specified folder. Select the virtual machines you want to add. You can use the **Select All**  and **Clear All**  buttons at the bottom of the window to select and deselect all virtual machines at once.



Review the selection, and click **Add**.

- 4 Click **Finish** to exit the assistant.

## CHAPTER 5

# Working in a Virtual Machine

This chapter explains how to start, stop, suspend or pause a virtual machine. It also provides the information on actions you can perform with the virtual machine while the guest operating system is running.

## In This Chapter

Performing Main Operations on a Virtual Machine.....	76
Using Keyboard and Mouse.....	79
Changing the View Mode .....	80
Changing Configuration at Runtime .....	82
Using Shared Folders .....	83
Making Guest OS Screenshots.....	85

---

# Performing Main Operations on a Virtual Machine

## Starting a Virtual Machine and Shutting It Down

### Starting a Virtual Machine

To start a virtual machine, do one of the following:

- Click the **Start** button  in the toolbar (p. 16).
- Choose **Start** from the **Virtual Machine** menu.
- Right-click the virtual machine in the sidebar (p. 13) and choose **Start** from the shortcut menu.
- Click **Start** in the **Operations** section of the virtual machine's **Summary** tab.

After starting the virtual machine, it will boot into the guest operating system installed in this virtual machine. If no guest operating system is installed, you will see the following message: "No boot device is available...".

---

**Notes:** 1. The virtual machine can be powered on only if you activated the Parallels server, to which this virtual machine belongs. For details, refer to **Activating a Parallels Physical Server** (p. 29).

2. It is not recommended that you start your virtual machines from an external storage device. This may result in low performance and unsteady operation.

---

### Shutting Down a Virtual Machine

To shut down a virtual machine, do one of the following:

- Click the **Shut Down** button  in the toolbar (p. 16).
- Choose **Shut Down** from the **Virtual Machine** menu.
- Right-click the virtual machine in the sidebar (p. 13) and choose **Shut Down** from the shortcut menu.
- Click **Shut Down** in the **Operations** section of the virtual machine's **Summary** tab.

## Suspending and Pausing a Virtual Machine

Starting and shutting down virtual machines may take a considerable amount of time. Instead of performing these operations, you can suspend or pause a virtual machine for the required time and quickly resume it later.

---

**Note:** Close the **Virtual Machine Configuration** dialog before changing the virtual machine state.

---

### Suspending a Virtual Machine

Suspending a virtual machine is similar to putting a real computer into the sleep mode. When you suspend a virtual machine, you save its current state (including the state of all applications and processes running in the virtual machine) to a special file on the host computer. When the suspended virtual machine is resumed, it continues operating at the same point the virtual machine was at the time of its suspending.

Suspending your virtual machine may prove efficient if you need to restart the host computer, but do not want to:

- quit the applications running in the virtual machine
- spend much time on shutting the guest operating system down and then starting it again

To suspend a virtual machine, do one of the following:

- choose **Suspend** from the **Virtual Machine** menu



- click the **Suspend** button in the toolbar (p. 16)

---

**Note:** You can view the configuration of the suspended virtual machine in the read-only mode. To be able to modify the suspended virtual machine configuration, you should stop the virtual machine.

---



To resume a suspended virtual machine, click the **Resume** button in the toolbar (p. 16) or choose **Resume** from the **Virtual Machine** menu.

### Pausing a Virtual Machine

Pausing a virtual machine releases the resources, such as RAM and CPU, currently used by this virtual machine. The released resources can then be used by the Parallels server and its applications or by other virtual machines running on the Parallels server.

---

**Note:** Only the amount of RAM used by the guest OS will be released. The memory used by the Parallels Server application will still be locked.

---

To pause a virtual machine, do one of the following:



- click the **Pause** button in the toolbar (p. 16)
- choose **Pause** from the **Virtual Machine** menu

When a virtual machine is paused, its window is grayed out. To continue running the virtual machine, click the Resume button  in the toolbar (p. 16) or choose **Resume** from the **Virtual Machine** menu.

Parallels Server is designed to operate like an ordinary computer application. This means that you do not have to change the virtual machine state from running to paused, suspended, or stopped before putting the Parallels server to sleep. In the sleep mode, the Parallels server does not allocate any resources to the running applications (including Parallels Server and all virtual machines) so that they are stopped automatically. As you start the Parallels server, all the applications are automatically up and running again.

## Stopping and Resetting a Virtual Machine

### Stopping a Virtual Machine

If the guest operating system cannot be shut down correctly, you can forcibly stop the virtual machine by doing one of the following:

- clicking the Stop button  in the toolbar (p. 16)
- choosing **Stop** from the **Virtual Machine** menu

**Warning:** If you forcibly stop a virtual machine, you may lose all unsaved data.

### Resetting a Virtual Machine

If some program error has caused your virtual machine to hang, you may wish to reset it.

To reset a virtual machine, do one of the following:

- Click the Reset button  in the toolbar (p. 16). If this button is absent from the toolbar, refer to the **Customizing Toolbar** subsection (p. 16) of *Parallels Management Console User's Guide*.
- Choose **Reset** from the **Virtual Machine** menu.

**Warning:** If you reset a virtual machine, you may lose all unsaved data.

---

# Using Keyboard and Mouse

## Capturing and Releasing the Keyboard and Mouse

To start working in a virtual machine, you need first to capture the keyboard and mouse input in the virtual machine. To this effect:

- 1 move the mouse pointer over the virtual machine window
- 2 click in the window

When the keyboard and mouse input is captured in the virtual machine, you cannot move the pointer out of the virtual machine window and all keystrokes and button clicks go to the virtual machine. To release the keyboard and mouse back, press Ctrl+Alt. The keyboard and mouse will be released immediately.

---

**Note:** You can change the key combination for releasing the keyboard and mouse input using the **Keyboard** pane (p. 23) of the **Preferences** dialog (p. 20).

---

If you want to automatically capture and release the keyboard and mouse input, you should install Parallels Tools in your virtual machine. After the Parallels Tools installation, you can capture and release the mouse and keyboard input more easily:

- click anywhere in the virtual machine window to capture the input
- click anywhere outside the virtual machine window to release the input.

## Keyboard Shortcuts in a Virtual Machine

When working in a virtual machine, you can apply any of the main Windows and Linux shortcuts to your virtual machine with the help of the **Keyboard** icon  in the virtual machine status bar (p. 19). Just click the icon and select the desired key combination from the drop-down list. The corresponding action will take place in the guest operating system.

---

## Changing the View Mode

Parallels Management Console provides a number of view modes to make your work with virtual machines more comfortable and efficient:

- **Window mode.** This is the default view mode in which the virtual machine screen is displayed in the Parallels Management Console window. The window contains the following panes:
  - **Summary.** This pane provides basic information on the virtual machine and access to the Virtual Machine Configuration dialog. The Summary pane also contains buttons for the most frequent commands used to start, stop, and otherwise manage the virtual machine.
  - **Console.** In this pane, you can interact with the running virtual machine via its guest OS window.
  - **Performance.** In this pane, you can view the virtual machine CPU, memory, hard disk, and network usage when the virtual machine is running.
  - The **Backup** tab lists all virtual machine backups. It also contains the controls allowing you to create a new backup.
- **Full Screen mode.** In this mode the virtual machine screen is expanded to occupy the whole of your physical computer screen.

### Switching to the Full Screen Mode

You can run a guest operating system in the Full Screen mode when the guest operating system window occupies the whole screen and all controls are hidden.

To switch to the Full Screen mode, do one of the following:

- Click the Full Screen button  in the Parallels Management Console toolbar.
- Choose Full Screen from the View menu.

---

**Note:** The default hot key combinations can be configured in the **Keyboard** pane (p. 23) of the Preferences dialog (p. 20).

---

To return to the Window mode, press the appropriate hot key combination (Ctrl+Alt+Enter by default).

### Detaching the Console Pane

In this version of Parallels Management Console, you can detach the Console pane of your running virtual machine from the Parallels Management Console window and work with it in a separate window.

To detach the Console pane, do one of the following:

- Choose Detach Console from the View menu.
- Click the Detach Console button  in the Parallels Management Console toolbar.

---

**Note:** If this button is missing from the toolbar, you can add it by customizing the toolbar (p. 18).

---

If you want the **Console** pane to join the virtual machine window again, do one of the following:

- choose **Attach Console** from the **View** menu
- click the **Attach Console** button in the Parallels Management Console toolbar
- close the separate **Console** window

### Locking the guest OS screen resolution

The virtual machine screen resolution can be changed in the following situations:

- When you adjust the guest OS display settings.
- When you resize the virtual machine window (this feature works only when Parallels Tools are installed in your virtual machine).
- When you run an application that automatically changes the screen resolution of your guest OS.

This behaviour of the virtual machine window can be irritating. To freeze the virtual machine screen resolution, use the **Lock Window** option available from the **View** menu. When the **Lock Window** option is enabled, the virtual machine screen resolution can be changed by adjusting the guest OS display settings only.

### Switching to the Coherence Mode

The Coherence mode provides the highest level of integration between the host and the guest operating systems. In this mode, you can have any applications running under these operating systems on one desktop. For more information on the Coherence mode, see **Working in the Coherence Mode**.

To switch a running virtual machine to operate in the Coherence mode, do one of the following:

- Click the **Coherence** button  in the Parallels Management Console toolbar.
- Select **Coherence** from the **View** menu.

To exit Coherence, click the Parallels Management Console tray icon and choose **Exit Coherence**.

---

## Changing Configuration at Runtime

Parallels Management Console allows you to connect or disconnect certain devices at runtime or switch some of them for using other media.

Generally, the following virtual devices can be connected or disconnected at runtime:

- CD/DVD-ROM drive
- Floppy disk drive
- Network adapter
- Printer port
- Serial port
- Sound device
- USB device
- Shared folders

You can configure any of these devices in one of the following ways:

You can configure any of these devices in one of the following ways:

- Use the necessary command from the **Devices** menu in the menu bar. This menu is available only when the virtual machine is running.
- Click a device icon on the status bar (p. 13) and choose the command from a device shortcut menu.

The status bar displays the devices information when the virtual machine is running.

- Drag an image file (\*.iso or \*.fdd) or a shared folder on the appropriate device icon in the status bar. This option is available only for CD/DVD-ROM drives, floppy drives and shared folders.

### Connecting a CD/DVD-ROM or a Floppy Drive

If you have several CD/DVD-ROM drives connected to your virtual machine, in the **Devices** menu they are listed in the same order as they were connected. The first CD/DVD-ROM drive will be **CD/DVD-ROM 1**, the second will be **CD/DVD-ROM 2**, and so on.

### Connecting a Network Adapter

You can connect the network adapter to any virtual network created on the Parallels server. If you have several network adapters used by the virtual machine, on the status bar (p. 13) and in the **Devices** menu they are listed in the same order as they were connected. The first network adapter will be **Network Adapter 1**, the second will be **Network Adapter 2**, and so on.

### Connecting a Printer Port

To connect or disconnect a printer port or to connect a printer or an output file to a printer port, do the following:

- Click the **Devices** menu, select the corresponding printer port, and choose the appropriate command from the displayed menu.

- Right-click the printer port icon  in the status bar (p. 13) to display the shortcut menu and choose the appropriate command.

### Connecting a Serial Port

To connect or disconnect a serial port, do the following:

- Click the **Devices** menu, select the corresponding serial port, and choose the appropriate command from the displayed menu.
- Right-click the serial port icon  in the status bar (p. 13) to display the shortcut menu and choose the appropriate command.

### Connecting a Sound Device

To connect or disconnect a sound device, choose the **Activate** or **Mute** options respectively. You can also choose the type of output and input devices.

### Connecting a USB Device

Parallels Management Console automatically detects all USB devices plugged into the Parallels server. The devices that are currently connected to the virtual machine appear in the list from the **Device** menu. You cannot use a USB device in the Parallels server operating system while it is being used by the virtual machine.

### Connecting a Shared Folder

The Shared Folders options available at runtime are similar to the settings in the **Virtual Machine Configuration** dialog (p. 87, p. 86).

You can

- share all disks of the Parallels server or Home Folder only with the virtual machine
- add a new shared folder

---

## Using Shared Folders

Shared folders are folders in the host computer operating system that are visible to the guest OS too. These folders can be used for exchanging files between the host computer operating system and a virtual machine or between several virtual machines.

In the host computer operating system shared folders appear as usual folders, while in the guest OS they are objects of the network neighborhood.

Using shared folders is possible for the supported Windows and Linux guest operating systems with Parallels Tools installed.


## Setting Up a Shared Folder

Setting up a shared folder requires two steps:

- 1 Installing Parallels Tools in the guest OS. The Shared Folders tool is required for viewing the shared folders in the guest OS. See [Using Parallels Tools](#) (p. 63).
- 2 Adding one or more shared folders to the virtual machine configuration.

### Adding a Shared Folder

- 1 Open the **Virtual Machine Configuration** dialog by choosing **Configure** from the **Virtual Machine** menu.
- 2 In the **Virtual Machine Configuration** dialog, select the **Options** tab and click the **Shared Folders** pane (see [Shared Folders Settings](#) (p. 98)).
- 3 Click the  button to open the **Shared Folder Properties** window.
- 4 In the **Shared Folder Properties** window:
  - Make sure the **Enabled** option is selected.
  - In the **Path** field, type the path to the folder you want to share with the virtual machine. You can also click the **Path** field and use the **Choose a folder** button to locate the folder.
  - In the **Name** field, type the shared folder name under which the folder will be accessible from inside the virtual machine.
  - In the **Description** field, you can provide a brief description for the shared folder.
  - Select the **Read-only** option if you want the shared folder to have a read-only status when accessed from inside the virtual machine.
  - Click **OK**.



- 5 Click **OK** in the **Virtual Machine Configuration** dialog to save the settings.

## Viewing Shared Folders in Guest OS

There are three ways to view the contents of the shared folders in the guest OS.

### Easy Way 1

Click the **Parallels Shared Folders** icon on the desktop of the running guest OS and you will see all your shared folders.

### Easy Way 2

If you select **Map folders to drive letters** in the **Shared Folders** pane (p. 98) of **Virtual Machine Configuration**, shared folders will be displayed as new disks with drive letters assigned every time you open up **My Computer** in the guest operating system.

### General Way

- 1 In the virtual machine, open **Windows Explorer**.
- 2 In Explorer, select **My Networks Places**, then select **Entire Network**, and find **Parallels Shared Folders**.
- 3 Click **Parallels Shared Folders** to view the list of shared folders available in your virtual machine.

---

**Note:** To be able to write to a shared folder inside a virtual machine, make sure that the **Read Only** check box (p. 98) for this folder is cleared in the **Virtual Machine Configuration** dialog.

---

---

## Making Guest OS Screenshots

If you want to make a screenshot of the guest operating system when it is running, choose **Make Screenshot** from the **View** menu. The first screenshot file will be named `Parallels Picture.png` and placed on the desktop of the client computer. The next screenshots will have the same name with an appropriate number added.

## CHAPTER 6

# Configuring Virtual Machines

The **Virtual Machine Configuration** dialog allows you to edit the virtual machine settings and the devices it uses. This chapter provides instructions on how to use the **Virtual Machine Configuration** dialog.

## In This Chapter

Editing Virtual Machine Configuration .....	87
Adding and Removing Devices.....	126


---

## Editing Virtual Machine Configuration

With the help of the Virtual Machine Configuration dialog, you can edit the settings of the virtual machine and the devices it uses.

To open the Virtual Machine Configuration dialog, do one of the following:

- Double-click the virtual machine icon in the sidebar of the Parallels Management Console main window.
- Click **Configure** on the virtual machine **Summary** page.
- Choose **Configure** from the **Virtual Machine** menu.
- Right-click the virtual machine in the sidebar and choose **Configure** from the shortcut menu.



The Virtual Machine Configuration dialog consists of two panes:

- The sidebar that displays virtual machine options and devices available for editing.
- The settings pane that displays the settings for the device or option selected in the sidebar.

**Note:** To view or edit some settings, the **Show advanced settings** check box must be selected.

To add a device to the virtual machine configuration, click the **Add** button .

**Note:** This button is available only when the virtual machine is shut down.


To remove a device from the list, select it in the sidebar and click the **Remove** button .

**Note:** This button is available only when the virtual machine is shut down and the device that can be removed is selected.

For details on adding and removing devices, see *Adding and Removing Devices* (p. 126).

## General Settings

To view and edit the virtual machine general settings, use the **General** pane of the **Virtual Machine Configuration** dialog.



**VM Name.** This field displays the virtual machine name. The length of the name is limited to 50 characters. This name is displayed in the virtual machine **Summary** pane.

**OS Type.** This field displays the type of the operating system installed in the virtual machine or declared to be installed in future.

**OS Version.** This field displays the version of the operating system installed in the virtual machine or declared to be installed in future.

---

**Note:** The operating system version specified in this field must be the same as the one actually installed in your virtual machine.

---

**Description.** You may type a short description for the virtual machine in this field. This description will be displayed in the virtual machine **Summary** pane.


### Using the host computer's SMBIOS data

Some applications may require the computer hardware characteristics. The host computer BIOS saves this information in the SMBIOS tables. These tables can be easily reached and processed by different applications. You can copy the SMBIOS tables from the host computer to the guest OS by choosing the **Use the host computer's SMBIOS data** option.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Boot Order Settings

To set the boot sequence for your virtual machine, use the **Boot Order** pane of the **Virtual Machine Configuration** dialog.



When the virtual machine starts, it can use one of these boot devices:

- **Hard Disk.** Select this device if you want the virtual machine to boot up from its virtual hard disk.
- **CD/DVD.** Select this device if you want the virtual machine to boot up from the media connected to its CD/DVD-ROM drive.

---

**Note:** The virtual machine will use the CD/DVD-ROM specified as **CD/DVD-ROM 1** in the virtual machine configuration.

---

- **Floppy Disk.** Select this device if you want the virtual machine to boot up from the media connected to its floppy disk drive.
- **Network Adapter.** Select this device if you want the virtual machine network adapter to use a PXE server for booting.

---

**Note:** The virtual machine will use the network adapter specified as **Network Adapter 1** in the virtual machine configuration.

---

When the virtual machine starts up, it is trying to boot from the device that appears as the first device in this list. If the device has no media or it is not bootable, the virtual machine proceeds to the next device in the sequence, and so on.

To change the booting sequence, select a device and move it using the arrows.

To remove a device from the sequence, clear the check box next to its name.

The **Show advanced settings** check box selected, you can enable the **Select boot device on startup** option. If you choose this option, you will see the following message at the virtual machine startup: "Press ESC to select boot device". If you press ESC pending 5 seconds, you will be able to select a boot device. If you do not press ESC, the virtual machine will try to boot from the devices specified in the **Boot order** list.

---


**Note:** Make sure that the device you wish to use for your virtual machine booting (hard disk drive, CD-ROM drive, floppy disk drive, or network adapter) is available to the virtual machine and configured properly. If you do not have any boot devices configured in your virtual machine, you will see the following error message after you start the virtual machine: "No boot device is available". In this case, you should stop the virtual machine and configure at least one boot device for it.

---

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Optimization Settings

In the Optimization pane of the Virtual Machine Configuration dialog, you can configure the settings related to the virtual machine performance.




### Optimizing Performance

- **Virtual machine.** Select this option to allocate more physical computer memory resources to the virtual machine and its applications. Selecting this option may significantly increase the virtual machine performance; however, it may slow down the productivity of your host computer applications.
- **Host computer.** Select this option to allocate more memory resources to the host computer and its applications.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Permissions Settings

To manage the virtual machine permissions, use the Permissions pane of the Virtual Machine Configuration dialog.



### Sharing the virtual machine with other users


To specify other users' access rights for the virtual machine, choose one of the following from the Allow other users to menu:

- **No Access.** If you select this option, other users will have no access to the virtual machine.
- **View.** If you select this option, other users will be able to add this virtual machine to the virtual machines list and view its console. They will not be able to start, stop or otherwise control this virtual machine.
- **View and run.** If you select this option, other users will be able to control the virtual machine and work in it. They will not be able to change the virtual machine configuration.

**View, run and configure.** If you select this option, other users will be able to perform any operations on the virtual machine and its files.

## Startup and Shutdown Settings

To manage the virtual machine startup and shutdown settings, use the corresponding pane of the Virtual Machine Configuration dialog.



### Changing the user account for the virtual machine

To be able to change the user account, enable the **Start the virtual machine with this user account** option.

Choose between the following accounts:

- **The local system account.** The account allows you to run the virtual machine with the administrator's rights.
- **This user.** You will run the virtual machine under the specified account.


### Selecting actions to perform on powering on and off the host computer

- **On Host Startup.** Select the operation the virtual machine should do when you start up the host computer: do nothing, start, or resume from the previous state. You may use the **Startup Delay** field to set the delay time interval for the virtual machine.
- **On Host Shutdown.** Select the operation the virtual machine should do when you shut down the host computer: stop, suspend or shutdown.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Remote Display Settings

To enable the virtual machine display sharing, use the Remote Display pane of the Virtual Machine Configuration dialog.



You can share the virtual machine desktop using VNC protocol.

To enable the virtual machine display sharing, select the **Enabled** option.

- **Host IP address.** In this field, type the host computer IP address.
- **Port.** In this field, you can set the TCP port for the virtual machine. VNC protocol uses ports 5900 through 5906.
- **Password.** If you want to specify a password for viewing the virtual machine desktop, type it in this field.

---


**Note:** If you start the virtual machine with the remote display disabled, you cannot change this option when the virtual machine is running.

---

When you finish, click **OK** to save the changes and quit the Virtual Machine Configuration dialog. If you do not want to save the changes, click **Cancel**.

## Services Settings

To manage the Parallels Tools settings, use the Services pane of the Virtual Machine Configuration dialog.



## Updating Parallels Tools

If you select the **Allow automatic Parallels Tools updates** option, Parallels Tools in your virtual machines will be automatically updated after you update Parallels Server. If you leave this option clear, Parallels Tools will not be automatically updated after Parallels Server updates. To update Parallels Tools when automatic updates are disabled, use the **Update Parallels Tools** option available in the **Virtual Machine** menu.

## Synchronizing Mouse and Keyboard

Select the **Automatically capture and release the mouse pointer** option to easily switch the keyboard and mouse input between the virtual machine and your client computer.

## Synchronizing Clipboard

To exchange texts between the virtual machine and your computer, enable the **Share Clipboard** option.

## Synchronizing Time

Select the **Synchronize time with the host computer** option to synchronize the virtual machine time settings with the host computer time settings. You may specify the frequency of time synchronization checks in the **Synchronize every** field.


If the time zone specified for your virtual machine differs from the host computer time zone, you can maintain this time difference by selecting **Allow a different time than on the host computer**.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Shared Folders Settings

To manage shared folders and their settings, use the **Shared Folders** pane of the **Virtual Machine Configuration** dialog.

When you share the host computer disks or folders with a virtual machine, they still reside and occupy space on the host computer hard disk.



## Sharing Host Computer Disks to Virtual Machine

Select the **Share the host computer's folders with the virtual machine** and **All disks** options to provide the virtual machine with access to:

- all disks available on Macs running Parallels Server for Mac or physical computers running Parallels Server Bare Metal.

## Sharing Host Computer Home Folder

Select the **Home folder only** option if you want to access the host computer Home folder from the virtual machine.

## Specifying Host Computer Folders to Be Shared

Select the **User-defined folders** option to specify the host computer folders to be shared with the virtual machine.

To add a folder, use the **Add** button . The **Shared Folder Properties** dialog will open. In this dialog, specify the following settings and click **OK**:

- **Enabled.** Select this option to enable the shared folder.
- **Path.** In this field, type the path to the folder you want to share with the virtual machine. You can use the **Choose** button to locate the folder.
- **Name.** In this field, type the shared folder name that will appear in the virtual machine.
- **Description.** In this field, you may type a brief description for this shared folder.
- **Read-only.** Select this option if you want this shared folder to have a read-only status when accessed from the virtual machine.

To remove a shared folder, select it and click the **Remove** button .

For more information about shared folders, see **Using Shared Folders** (p. 83).

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## SmartGuard Settings


In the SmartGuard pane of the Virtual Machine Configuration dialog, you can set up the automatic creation of snapshots. You can find detailed information on snapshots and how to work with them in the *Working with snapshots* section (p. 160).

---

**Note:** You cannot create a snapshot manually or automatically or revert to a snapshot when your virtual machine is paused.

---

The SmartGuard functionality allows you to back up your virtual machine automatically.



To enable SmartGuard, select the **Enabled** option at the top of the **SmartGuard** pane.

If you want to know when it is time to make the next snapshot and to be able to reject the snapshot creation, enable the **Notify me before snapshot creation** option.

### Setting Time Interval

Set how often snapshots should be made in the **Interval for taking a new snapshot** field. You can set from one hour to 48 hours.

If the time interval is less than 24 hours, SmartGuard will allow you to restore the latest hourly, daily and weekly snapshot. If the time interval is more than 24 hours, you will be able to restore the latest daily, weekly and monthly snapshot.

To manage the snapshots and restore any of them, use [Virtual Machine Snapshots](#) (p. 162).


### Restricting Snapshots Number

Use the **Maximum number of snapshots to keep** field to set the maximum number of snapshots that can be stored on the host computer. The maximum available value is 100 snapshots. As soon as **Virtual Machine Snapshots** reaches the limit for snapshots and needs to make a new one over the limit, it deletes the oldest snapshot.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## CPU Settings

To view and edit the virtual machine CPU settings, use the CPU pane of the Virtual Machine Configuration dialog.



In the **Number of CPUs** field, you can set the number of host computer CPUs the virtual machine can use. The maximum allowable number of virtual CPUs depends on the number of physical CPU cores available to the host computer. For example, if you have the Core 2 Duo physical processor, the maximum allowable number of virtual CPUs will be 2. However, in any case, you will not be able to set more than 8 virtual CPUs to a virtual machine.

In the **Hardware Virtualization** field, you can view the type of virtualization technology used by the virtual machine to emulate the hardware.

- **System Flags.** The flags you type here will change the virtual machine system behavior.

---


**Note:** System flags can be used by the Parallels customer support team in cases when something goes wrong in your virtual machine. It is not recommended to type anything into this field without being instructed to do so by the customer support staff.

---

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Memory Settings

To set the amount of RAM available to the virtual machine, use the Memory pane of the Virtual Machine Configuration dialog.



In the Main memory field, you can set the amount of RAM that will be available to the virtual machine. You can choose any available value, but it is recommended that you set the value provided in the Recommended range field below the slider.

By default, the optimal size is the amount of RAM the guest operating system requires. If some of the applications installed in your virtual machine need more RAM, you can set a greater amount of RAM for this virtual machine, provided the memory resources of the host computer are enough for running both the primary operating system and this virtual machine.

---

**Note:** If the host computer has 1 GB of RAM, it is strongly recommended to assign not more than 512 MB to a single virtual machine.

---


To set the required value for this type of memory, do one of the following:

- drag the slider
- use the spin box arrows
- type the value directly into the Main memory field

When you finish, click OK to save the changes and quit the Virtual Machine Configuration dialog. If you do not want to save the changes, click Cancel.

## Video Settings

To set the amount of video memory available to the virtual machine video card, use the Video pane of the Virtual Machine Configuration dialog.



In the **Video memory** field, you can set the amount of video memory that will be available to the virtual machine. You can specify any value from 2 to 256 MB; however, we recommend that you choose the value from the range given in the **Recommended size** field below the slider. This will provide the most optimal performance for your virtual machine and the physical computer where this virtual machine is hosted.

The **Maximum screen resolution** field shows the maximum screen resolution that will be supported in the virtual machine with the specified amount of video memory.

To configure the video memory limit, do one of the following:

- drag the slider
- use the spin box arrows
- type the value directly into the **Video memory** field

### Keeping the Virtual Machine's Screen Resolution in Full Screen Mode

When you switch the virtual machine to the Full Screen mode (p. 80), its screen resolution:

- changes to the client computer screen resolution if you have Parallels Tools installed

---

**Note:** If dynamic resolution does not work when switching to Full Screen mode in virtual machines with Linux guest operating system installed, increase the amount of video memory available to the virtual machine's video card up to 16 MB.

---


- remains the same.

To always keep the virtual machine's screen resolution in the Full Screen mode, select the **Keep the virtual machine's screen resolution in full screen** option. With this option selected, if the virtual machine's screen resolution is, for example, 1280x1024 in the Window mode, it will also be 1280x1024 in the Full Screen mode.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Floppy Disk Settings

To view and edit the virtual machine floppy disk drive settings, use the Floppy Disk pane of the Virtual Machine Configuration dialog.



**Enabled.** Select this option to enable floppy disk drive operations in the virtual machine. To temporarily disable floppy drive operations without removing the floppy drive from the virtual machine configuration, clear this option.

---

**Note:** The **Enabled** option can be selected or cleared only when the virtual machine is stopped.

---

**Connected.** Select this option if you want the floppy disk drive or floppy disk image to be automatically connected to the virtual machine on its startup.

You can choose one of the following devices to emulate the virtual machine floppy disk drive:

- To use a real floppy disk drive, select **Real Device** and specify the device to use.
- To use a floppy disk image, select **Image File** and specify the path to the floppy disk image file in the **File** field. You can also use the **Choose** button to locate the file.

If you want to create a new floppy disk image or to replace the currently used floppy disk image by a blank floppy disk image, click the **Recreate** button.

---

**Warning:** Recreating the current floppy disk image deletes all the data stored on this disk image.


---

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Hard Disk Settings

To view and configure the virtual hard disk settings, use the **Hard Disk** pane of the **Virtual Machine Configuration** dialog. Hard disk images are in the `.hdd` format.

**Note:** You can connect up to four IDE devices (hard disks or CD/DVD drives) and 15 SCSI devices to a virtual machine. Each device is listed separately in the **Virtual Machine Configuration** dialog and has its own number.



Select the **Enabled** option if you want the virtual machine to use this hard disk drive. To temporarily disable operations with the hard disk without removing it from the virtual machine configuration, clear the **Enabled** check box.

To use a hard disk image file as a virtual hard disk:

- 1 Type the path to the hard disk image file in the **File** field or use the **Choose** button to locate the file.
- 2 Select the **Show advanced settings** option if it is not selected and choose the interface type for connecting the hard disk image. Two types are available:
  - **IDE**. Using this interface type, you can connect up to four virtual devices (hard disks or CD/DVD-ROM drives) to the virtual machine.
  - **SCSI**. Using this interface type, you can connect up to 15 virtual devices (hard disks or CD/DVD-ROM drives) to the virtual machine.

**Note:** In some Linux distributions (e.g. RHEL 5.3), the SCSI driver may be not installed. In this case, you should install this driver in your Linux guest OS to be able to use the SCSI controller.

- 1 Select the device location in the **Location** list.

---

**Note:** The SCSI 7:0 location is not available for selecting, since it is occupied by the SCSI controller itself.

---

- 2 Click **OK**.

---

**Note:** The **Interface** and **Location** options are available only if the **Show advanced settings** check box is selected at the bottom of the **Virtual Machine Configuration** dialog.

---

## Resizing virtual hard disks

To reduce or increase the virtual hard disk size, use the **Resize** button. If you click this button, the following window will be displayed:



To reduce the virtual hard disk size, you can do one of the following:

---

**Note:** Reducing dynamic disks is not supported.

---

- If the virtual hard disk image is blank, specify the new size and click **OK**.
- If the virtual hard disk already has a file system, specify the new size, select **Resize file system**, and click **OK**.

To increase the virtual hard disk size, you can do one of the following:

- If the virtual hard disk image is blank, specify the new size and click **OK**.
- If the virtual hard disk already has a file system, specify the new size and click **OK**. In this case, the added space will be unallocated. You will have to create a logical drive or a partition on the unallocated space and then format the newly created drive or partition.
- If the virtual hard disk already has a file system, specify the new size, select **Resize file system**, and click **OK**. In this case, you will not have to format the added space and it will be available to the existent drive.
- If the virtual hard disk is dynamic, specify the new size and click **OK**. You will have to format the newly added space manually.

---

**Note:** When increasing the dynamic virtual hard disk size, make sure the **Resize file system** option is not selected.

---

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Support for Virtual and Real Disks

This section lists the types of disks that can be used by Parallels virtual machines and provides the information about basic operations that you can perform with these disks.

### Supported Types of Hard Disks

Parallels virtual machines use virtual hard disks as their hard disks.

#### Virtual Hard Disks

The capacity of a virtual hard disk can be set from 100 MB and up to 2 TB.

Virtual hard disks can be of either *plain*, or *expanding* format. When you create a virtual machine in **Express Windows** or **Express Linux**, or **Typical** mode (in New Virtual Machine Wizard (p. 51)), the disk is created in the *expanding* format.

<b>plain</b>	A plain virtual hard disk image file is stored on the Parallels server and has a fixed size. The size is determined when such a disk is created. Plain disks can be created with the help of New Virtual Machine Wizard (the <b>Custom</b> mode.)
<b>expanding</b>	An expanding virtual hard disk image file is stored on the Parallels server and is small initially. Its size grows as you add applications and data to the virtual hard disk in the guest OS.

#### Split disks

A virtual disk of either format can be a single-piece disk or a split disk. A split disk is cut into 2 GB pieces and is stored as a single `.hdd` file.

### CD/DVD Discs and Their Images

A virtual machine can access real CD/DVD discs and images of CD/DVD discs.

There are no limitations on using multisession CD/DVD discs. Virtual machines can play back audio CDs without any limitations on copy-protected discs.

Parallels virtual machines support CD/DVD disc images in the ISO and DMG formats. They may also support CD/DVD disc images in the CUE and CCD formats.

### Floppy Disks and Floppy Disk Images

Parallels virtual machines can use two types of floppy disks:

- Real diskettes inserted into a real floppy disk drive that is connected to the virtual machine.
- Floppy disk image files with the `.fdd` extension connected to the virtual machine.

Floppy disk images are treated like real diskettes. Virtual machines support floppy disk image files that have `.fdd` extension and 1.44 MB size.

---


**Note:** Parallels Management Console cannot create images of real diskettes.

---

## CD/DVD-ROM Settings

To configure the virtual machine CD/DVD-ROM drive settings, use the CD/DVD-ROM pane of the Virtual Machine Configuration dialog. Virtual CD/DVD-ROM drives can be connected either to physical CD/DVD-ROM drives or to CD/DVD images. The real device and the image file can belong both to the host and the client computers.

**Note:** You can connect up to four IDE devices (hard disks or CD/DVD drives) and 15 SCSI devices to a virtual machine. Each device is listed separately in the Virtual Machine Configuration dialog and has its own number.



Select the **Enabled** option if you want the virtual machine to use this CD/DVD-ROM drive. To temporarily disable operations with the CD/DVD-ROM drive without removing it from the virtual machine configuration, clear the **Enabled** check box.

---

**Note:** The **Enabled** option can be selected or cleared only when the virtual machine is stopped.

---

Select the **Connected** option if you want the CD/DVD-ROM drive to be automatically connected to the virtual machine on its startup.

To emulate the virtual CD/DVD-ROM drive, you can connect one of the real CD/DVD-ROM drives on your physical computer or a CD/DVD-ROM image file to the virtual machine.

---

**Note:** Parallels virtual machines support ISO and DMG image files and may support CUE and CCD image files.

---

### Connecting Real Device

To use a real device as the virtual machine CD/DVD-ROM drive:

- 1 Select the **Real Device** option.
- 2 Select the computer that hosts the device from the **Placement** list.
  - **Host Computer.** Select this option if you want to use the real device located on the host computer.
  - **Client Computer.** Select this option if you want to use the real device located on the client computer.
- 3 Specify the device to connect by choosing it from the **CD/DVD-ROM** list.
- 4 Select the **Show advanced settings** option if it is not selected and choose the type of interface to connect the device. Two types are available:
  - **IDE.** Using this interface type, you can connect up to four virtual devices (hard disks or CD/DVD drives).
  - **SCSI.** Using this interface type, you can connect up to seven virtual devices (hard disks or CD/DVD drives).

---

**Note:** Red Hat Linux Enterprise 5 guest OS does not support the SCSI controller.

---

- 5 Select the device position in the **Location** list.
- 6 Select the **Passthrough** option to connect your real CD/DVD-ROM drive to the virtual machine in the passthrough mode. In this mode, the CD/DVD-ROM drive is directly assigned to the virtual machine. If you connect a recordable optical drive to a virtual machine in the passthrough mode, you will be able to use it to burn CD or DVD discs in the virtual machine.

---

**Note:** If you select the **Passthrough** option, the physical computer will have no access to this CD/DVD-ROM drive.

---

- 7 Click **OK** to apply the settings and close the **Virtual Machine Configuration** dialog.

---

**Note:** The **Interface**, **Location**, and **Passthrough** options are available only if the **Show advanced settings** check box is selected at the bottom of the **Virtual Machine Configuration** dialog.

---

## Connecting Image File

To use an image file as the virtual machine CD/DVD-ROM drive:

- 1 Select the **Image File** option.
- 2 Select the computer that hosts the image file from the **Placement** list.
  - **Host Computer.** Select this option if you want to use the image file located on the host computer.
  - **Client Computer.** Select this option if you want to use the image file located on the client computer.
- 3 Type the path to the image file in the **File** field. You may use the **Choose** button to locate the file.
- 4 Select the **Show advanced settings** option if it is not selected and choose the type of interface to connect the image file. Two types are available:
  - **IDE.** Using this interface type, you can connect up to four virtual devices (hard disks or CD/DVD drives).
  - **SCSI.** Using this interface type, you can connect up to seven virtual devices (hard disks or CD/DVD drives).

---

**Note:** Red Hat Linux Enterprise 5 guest OS does not support the SCSI controller.


---

- 5 Select the position in the **Location** list.
- 6 Click **OK** to apply the settings and close the **Virtual Machine Configuration** dialog.

You can also connect an image file using the **Device** menu or the **CD/DVD-ROM** icon in the status bar. To connect an image, select the **CD/DVD-ROM** icon in the status bar (p. 13) and choose **Connect Image**.

## Network Adapter Settings

The Network Adapter pane of the Virtual Machine Configuration dialog allows you to manage the virtual machine network settings.



**Enabled.** Select this option if you want to enable this network adapter in the virtual machine. If you want to temporarily disable the network adapter without deleting it from the virtual machine configuration, clear the **Enabled** check box.

---

**Note:** The **Enabled** option can be selected or cleared only when the virtual machine is stopped.

---

**Connected.** Select this option if you want the virtual machine to start up with this network adapter connected.

In the **Virtual Network** menu, select a virtual network to which the network adapter will be connected. To see the list of all virtual networks available to the Parallels physical server, to edit their settings, or create a new virtual network, refer to the **Server Settings** dialog (p. 32).

**Direct Assignment (using Intel VT-d).** Select this option to allow the virtual machine to access the local network and Internet through a PCIe network adapter with the help of the Intel VT-d technology. Before selecting a PCIe network adapter, you will need to assign it to your virtual machines in the **Intel VT-d** pane (p. 39) of the **Server Settings** dialog (p. 32) and install the manufacturer's driver for this PCIe device inside the virtual machine. The driver should support the Intel VT-d technology.

In the **MAC address** field, you can change the MAC address currently assigned to the virtual machine. MAC addresses are automatically generated during the virtual machine creation. However, you can modify the default MAC address by typing another value in the **MAC address** field or clicking the **Generate** button. When entering a new MAC address, make sure that it is unique within your network.

## WiFi Bridging Support

To be able to connect to wireless networks from your virtual machine:

- 1 Make sure the WiFi network adapter is available to the Parallels physical server.
- 2 Create a Bridged virtual network to which the WiFi network adapter is connected. For more information on creating a virtual network, refer to **Adding a Virtual Network** (p. 48).
- 3 In the **Network Adapter** pane, select the **Virtual Network** option and choose the newly created Bridged virtual network from the drop-down list.
- 4 Click **OK** to apply the changes.

After you perform these steps, your virtual machine will be able to connect to the Internet through the WiFi adapter of the Parallels physical server.

When you try to connect to the Internet via WiFi, and the WiFi Access Point has the **Validate DHCP packets** option enabled, you may experience problems with connecting to the Internet. In this case, enable the **Send the host's MAC address to DHCP server** option to ensure that your virtual machine gets an IP address for accessing the Internet.

---


**Note:** Enabling the **Send the host's MAC address to DHCP server** option will not work with some DHCP servers - your virtual machine may get the same IP address as the Parallels physical server has.

---

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Parallel Port Settings

In the Parallel Port pane of the Virtual Machine Configuration dialog, you can configure the virtual machine parallel port settings. A virtual machine can have up to three parallel ports.



**Enabled.** Select this option if you want to enable this parallel port in the virtual machine. To temporarily disable the parallel port without deleting it from the virtual machine configuration, clear this option.

---

**Note:** The **Enabled** option can be selected or cleared only when the virtual machine is stopped.

---

**Connected.** Select this option if you want the virtual machine to start up with the parallel port connected.

A parallel port can be emulated by one of the following devices:

- **Real Port.** Select this option to connect one of the host computer parallel ports to the virtual machine parallel port. In this case, you will need to specify the appropriate physical port in the **Parallel port** field.
- **Printer.** Select this option to connect a printer using the virtual machine parallel port. In this case, you will need to select the appropriate printer in the **Printer** list.

By default, the HP Color LaserJet 8500 PS printer supporting PostScript is installed in Windows virtual machines, irrespective of the real printer model and version. In most cases, modern printers support PostScript and that is why you should disregard the printer name you see in the Windows printing wizard and complete the procedure.

- **Output File.** Select this option to emulate the parallel port by using an output file. In this case, a new output file with the default name will be created in the virtual machine folder. The path to the output file will be displayed in the **File** field. If you want to use another output file, type the full path to it in the **File** field or use the **Choose** button to locate the file.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Serial Port Settings

In the **Serial Port** pane, you can configure the virtual machine serial port settings.

Using serial ports, you can establish a connection between

- the virtual machine and the host computer devices (using a real port) or
- between two virtual machines located on the same host computer (using a socket).

If you want to connect your virtual machine to the host computer device, you should create a serial port emulated by a real port. The **Serial Port** list comprises the devices on the host computer that are available for connection. The connected device, being used in any virtual machine, cannot be used by the host computer. To be able to use it in the host computer, you should first disconnect it from the virtual machine. To do that, use the virtual machine status bar (p. 19).

If you want to connect two virtual machines with each other, you need to create a serial port emulated by a socket in each virtual machine. The names of the serial ports should be identical. The connection between the virtual machines via serial ports is bidirectional. It means that the working modes of the sockets set during the port creation can be changed later in the **Serial Port** pane.


If you need to log the performance activity of your virtual machine or to record the data from it and use this information later on, you can connect your virtual machine serial port to an output file on the physical server. You will be able to view and analyze the activity history of the virtual machine any time you need it by exploring this file.

You can add a new serial port to your virtual machine using **Add Hardware Wizard**. For the instruction on how to create serial ports, refer to **Adding Serial Port** (p. 141).

---

**Note:** You can connect up to four serial ports to a virtual machine.

---



**Enabled.** Select this option if you want to enable this serial port in the virtual machine. To temporarily disable the serial port without deleting it from the virtual machine configuration, clear this option.

---

**Note:** The **Enabled** option can be selected or cleared only when the virtual machine is stopped.

---

**Connected.** Select this option if you want the virtual machine to start up with the serial port connected.

Serial ports can be emulated by the following devices:

- **Real Port.** Select this option to connect the virtual machine serial port to one of the existing serial ports on the host computer. In this case, you will need to choose the appropriate port on the host computer in the **Serial port** list.
- **Socket.** Select this option to connect two virtual machines through the sockets. When connecting the virtual machine to a socket, you can use the default path to the socket or type a new one in the **Socket** field. You can also configure the role the virtual machine will play in the connection by selecting the necessary role in the **Mode** list. Selecting **Server** enables you to use this virtual machine to direct the other one. Selecting **Client** enables you to direct this virtual machine from the other one.

---

**Note:** If you change the socket mode of the first virtual machine, make sure that the socket mode of the second virtual machine is also modified.


---

- **Output File.** Select this option to connect the virtual machine serial port to an output file. You can accept the default path or type your own one in the **File** field. You can also use the **Choose** button to locate the necessary file.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## Sound Settings

In the Sound Settings pane of the Virtual Machine Configuration dialog, you can configure the sound device settings.



**Enabled.** Select this option if you want to enable the sound device in the virtual machine. To temporarily disable operations with the sound device without deleting it from the virtual machine configuration, clear this option.

---

**Note:** The **Enabled** option can be selected or cleared only when the virtual machine is stopped.

---

**Connected.** Select this option to have the sound device automatically connected on the virtual machine startup.

**Output.** Use the output list to choose the necessary device. You can choose one of the following devices:

- **Default.** Select this option if you want to use the input device set as default in the primary operating system.
- **Null device.** Select this option if you want to mute the output device.
- **Built-in output.** Select this option if you want to use one of the output devices connected to the primary operating system.


**Input.** Use the input list to choose the necessary device. You can choose one of the following devices:

- **Default.** Select this option if you want to use the input device set as default in the primary operating system.
- **Null device.** Select this option if you want to mute the input device.
- **Built-in input.** Select this option if you want to use one of the input devices connected to the primary operating system.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

## USB Settings

In the USB Controller pane of the Virtual Machine Configuration dialog, you can enable the USB controller support in your virtual machine. A virtual machine can emulate only one USB controller, which provides you with the possibility to connect up to eight USB 2.0 and eight USB 1.1 devices to the virtual machine.



**Enabled.** Select this option to allow using USB devices in the virtual machine. If you want to temporarily disable USB operations without deleting the USB controller from the virtual machine configuration, clear this option.

If the USB controller is disabled, such USB devices as keyboard, mouse, microphone will still be available to the virtual machine with other emulated subsystems, such as sound, keyboard or mouse emulation, etc.

---


**Note:** The Enabled option can be selected or cleared only when the virtual machine is stopped.

---

When you finish, click **OK** to save the changes and quit the Virtual Machine Configuration dialog. If you do not want to save the changes, click **Cancel**.

## Generic SCSI Device Settings

To view and edit the settings of a generic SCSI device used by the virtual machine, use the Generic SCSI pane of the Virtual Machine Configuration dialog.



Select the **Enabled** option to enable this SCSI device in the virtual machine. If you want to temporarily disable the device, clear this option.

---

**Note:** You can select and clear the **Enabled** option only when the virtual machine is shut down.

---

The SCSI device list displays the SCSI devices available in the hardware configuration of the Parallels physical server. You may change the device connected to the virtual machine SCSI device by choosing it from the list.

You can also change the device position in the **Location** list.

---

**Note:** The SCSI 7:0 location is not available for selecting, since it is occupied by the SCSI controller itself.

---

You may add a brief description of the device in the **Description** field.

When you finish, click **OK** to save the changes and quit the **Virtual Machine Configuration** dialog. If you do not want to save the changes, click **Cancel**.

---

## Adding and Removing Devices

Adding or removing a device to a virtual machine is easier than connecting new devices to a real computer. The following virtual devices can be added to the virtual machine configuration or removed from it:

- virtual hard disk (p. 129)
- CD/DVD-ROM drive (p. 134)
- floppy disk drive (p. 137)
- network adapter (p. 139)
- serial port (p. 141)
- parallel port (p. 143)
- USB controller (p. 144)
- generic SCSI device (p. 145)
- sound device (p. 146)

You can add these devices to the virtual machine configuration or remove some of them only when the virtual machine is stopped.

## Add Hardware Wizard

You can add new devices using:

- Add Hardware Wizard (if Parallels Management Console is installed on a Windows- or Linux-based physical computer)
- Add Hardware Assistant (if Parallels Management Console is installed on a Mac-based physical computer)

The wizard allows you to add only one device at a time.

---

**Note:** To connect a virtual device to a real one, you must have system privileges to access the real device. Otherwise, the real device will not appear in the list of available devices even though it is installed on your computer.

---

To add a new device to the virtual machine:

- 1 Start Parallels Management Console.
- 2 Open the **Virtual Machine Configuration** dialog by doing one of the following:
  - Double-click the virtual machine icon in the sidebar of the Parallels Management Console main window.
  - Click **Configure** on the virtual machine **Summary** page.
  - Choose **Configure** from the **Virtual Machine** menu.
  - Right-click the virtual machine in the sidebar and choose **Configure** from the shortcut menu.
- 3 Click the **Add** button  in the bottom part of the **Virtual Machine Configuration** dialog. This launches Add Hardware Wizard.

---

**Note:** The **Add** button  is available only when the virtual machine is shut down.

---

- 4 In the **Introduction** window, click **Next**.
- 5 The **Select Device** window displays the list of virtual hardware that can be added to this virtual machine. Select the device you want to add and click **Next**.

---

**Note:** If the virtual machine already has the allowed number of devices of a particular type, this device icon is dimmed in this window.

---



**6** Follow the wizard instructions to configure the device.

If you want to add a device with typical settings to the virtual machine configuration, select the device and click the **Add typical Device** button.

## Adding Hard Disk

You can add an existing hard disk image or create a new, blank one.

---

**Note:** You can connect up to four IDE devices (hard disks or CD/DVD drives) and 15 SCSI devices to a virtual machine. Each device is listed separately in the **Virtual Machine Configuration** dialog and has its own number.

---


To add a hard disk to a virtual machine:

- 1 Start Parallels Management Console.
- 2 Open the **Virtual Machine Configuration** dialog (p. 87, p. 86) and launch **Add Hardware Wizard** by clicking the **Add** button  in the bottom part of the dialog.

- 3 In the **Select Device** window, select **Hard Disk** and click **Next**.

To add a hard disk with typical configuration, choose the **Hard Disk** icon and click the **Add Typical Device** button. The wizard will create a typical ready to use hard disk.


- 4 In the **Add Hard Disk** window, select the resource for the new virtual hard disk and click **Next**. The following resources can be used:
  - **New image file.** The wizard will create a new image to emulate a hard disk.
  - **Existing image file.** The wizard will find and use an existing image file to emulate a hard disk.



- 5 If you selected the Existing image file option, go to step 6.

If you selected the New image file option, set the virtual hard disk size and specify the disk format. Click Next.

You can choose one of these formats for the disk: *Expanding* or *Plain*. If you want the virtual hard disk to be splitted, select the *Split the disk image into 2 GB files* option. For more information, see [Support for Virtual and Real Disks](#) (p. 111).




- 6 In the next window, you can configure the location of the hard disk image file and specify its interface type. You can choose one of the following interface types for the disk:
- If you selected the IDE option, you will be able to select the IDE number for the device from the **Location** list.
  - If you selected the SCSI option, you will be able to select the SCSI number for the device in the **Location** list.

---

**Note:** Red Hat Linux Enterprise 5 guest OS does not support the SCSI controller.

---

Click **Add Device**. A new hard disk will be added.



After adding the disk, make sure that its file system is compatible with the guest OS installed in the virtual machine.

## Initializing the Newly Added Disk

After you added a new blank virtual hard disk to the virtual machine configuration, it will be invisible to the operating system installed inside the virtual machine until the moment you initialize it.

### Initializing the New Virtual Hard Disk in Windows

To initialize the new virtual hard disk in a Windows guest OS, you will need the Disk Management utility available through:

- In Windows Vista: Start > Control Panel > System and Maintenance > Administrative Tools > Create and Format Hard Disk Partitions > Disk Management.
- In Windows XP: Start > Control Panel > Administrative Tools > Computer Management > Storage > Disk Management.

When you open the Disk Management utility, it automatically detects that a new hard disk was added to the configuration and launches **Initialize and Convert Disk Wizard**:

- 1 In the introduction window, click **Next**.
- 2 In the **Select Disks to Initialize** window, select the newly added disk and click **Next**.
- 3 In the **Select Disks to Convert** window, select the newly added disk and click **Finish**.

The added disk will appear as a new disk in the Disk Management utility window, but its memory space will be unallocated. To allocate the disk memory, right-click this disk name in the Disk Management utility window and select **New Simple Volume** in Windows Vista or **New Volume** in Windows XP. The **New Simple Volume Wizard**/**New Volume Wizard** window will appear. Follow the steps of the wizard and create a new volume in the newly added disk.

After that your disk will become visible in **Computer/My Computer** and you will be able to use it as a data disk inside your virtual machine.

### Initializing the New Virtual Hard Disk in Linux

Initializing the new virtual hard disk in a Linux guest OS comprises two steps: allocating the virtual hard disk space and mounting this disk in the guest OS.

To allocate the space, you will need to create a new partition on this virtual hard disk, using the `fdisk` utility.

---

**Note:** To use the `fdisk` utility, you need the `root` privileges.

---

- 1 Launch Terminal.
- 2 To list the IDE disk devices present in your virtual machine configuration, enter:

```
fdisk /dev/hd*
```

---

**Note:** If you added a SCSI disk to the virtual machine configuration, use the `fdisk /dev/sd*` command instead.

---

- 3 By default, the second virtual hard disk appears as `/dev/hdc` in your Linux virtual machine. To work with this device, enter:

```
fdisk /dev/hdc
```

---

**Note:** If this is a SCSI disk, use the `fdisk /dev/sdc` command instead.

---

**4** To get extensive information about the disk, enter:

```
p
```

**5** To create a new partition, enter:

```
n
```

**6** To create the primary partition, enter:

```
p
```

**7** Specify the partition number. By default, it is 1.

**8** Specify the first cylinder. If you want to create a single partition on this hard disk, use the default value.

**9** Specify the last cylinder. If you want to create a single partition on this hard disk, use the default value.

**10** To create a partition with the specified settings, enter:

```
w
```

When you allocated the space on the newly added virtual hard disk, you should format it by entering the following command in the terminal:

```
mkfs -t <FileSystem> /dev/hdc1
```

---

**Note:** *<FileSystem>* stands for the file system you want to use on this disk. It is recommended to use `ext3` or `ext2`.

---

When the added virtual hard disk is formatted, you can mount it in the guest OS.

**1** To create a mount point for the new virtual hard disk, enter:

```
mkdir /mnt/hdc1
```

---

**Note:** You can specify a different mount point.

---

**2** To mount the new virtual hard disk to the specified mount point, enter:

```
mount /dev/hdc1 /mnt/hdc1
```

When you mounted the virtual hard disk, you can use its space in your virtual machine.

## Adding CD/DVD-ROM Drive

You can add a virtual CD/DVD-ROM drive connected to a real CD/DVD-ROM or an existing image file.

---

**Note:** You can connect up to four IDE devices (hard disks or CD/DVD drives) and 15 SCSI devices to a virtual machine. Each device is listed separately in the **Virtual Machine Configuration** dialog and has its own number.

---

To add a new CD/DVD-ROM drive to a virtual machine:

- 1 Start Parallels Management Console.
- 2 Open the **Virtual Machine Configuration** dialog (p. 87, p. 86) and launch **Add Hardware Wizard** by clicking the **Add** button  in the bottom part of the dialog.
- 3 In the **Select Device** window, select **CD/DVD-ROM** and click **Next**.

---

**Note:** To automatically add a CD/DVD-ROM drive with typical configuration, click the **Add Typical Device** button. The wizard will create a typical ready to use CD/DVD-ROM.

---

- 4 In the **Add CD/DVD-ROM** window, select the resource for the new CD/DVD-ROM drive and click **Next**. The following resources can be used:
  - **Real Device.** Select this option if you wish to add a real CD/DVD-ROM drive to your virtual machine.
  - **Image File.** Select this option if you wish to use an existing image file as a virtual CD/DVD-ROM drive inside your virtual machine.

---

**Note:** Parallels virtual machines support ISO and DMG image files and may support CUE and CCD image files.

---

Select the real device or image file location from the **Placement** list. The possible locations are:

- **Host computer.** Select this location if the device or image file is stored on the host computer.
- **Client Computer.** Select this option if the device or image file is stored on the client computer.

If you want the device to be connected to the virtual machine automatically at startup, select the **Connected** option. If you clear this option, the drive will be enabled in the configuration, but not connected to the virtual machine. You can connect it later when running the virtual machine.



- 5 Your next window will be different depending on what option (Real Device or Image File) you chose in the previous step:
- If you chose to add a real device, select the corresponding device from the list in the Drive Name field.
  - If you chose to use an image file, type the path to the corresponding file in the Image File field or use the **Choose** button to locate the file.

In both cases, you should specify the interface type for the CD/DVD-ROM device or image file:

- **IDE.** Using this interface type, you can connect up to four virtual devices (hard disks or CD/DVD drives) to the virtual machine.
- **SCSI.** Using this interface type, you can connect up to 15 virtual devices (hard disks or CD/DVD drives) to the virtual machine.

---

**Note:** In some Linux distributions (e.g. RHEL 5.3), the SCSI driver may be not installed. In this case, you should install this driver in your Linux guest OS to be able to use the SCSI controller.

---

You can also define the device position in the **Location** list or accept the position offered by Add Hardware Wizard.

---

**Note:** The SCSI 7:0 location is not available for selecting, since it is occupied by the SCSI controller itself.


---

If you selected the **Real Device** option, you can connect your physical computer CD/DVD-ROM drive directly to your virtual machine. In this case, you will be able to fully use this CD/DVD-ROM drive in the virtual machine (e.g. record data on discs). For these purposes, select the **Passthrough** option.

---

**Note:** If you connect your physical computer CD/DVD-ROM drive directly to your virtual machine, this drive will not be available in the primary OS.

---




When you are ready, click the **Add Device** button to add a new virtual CD/DVD-ROM drive to your virtual machine.

## Adding Floppy Disk Drive

You can add an existing floppy disk image, a new one or a real floppy disk to your virtual machine.

To add a floppy disk to the virtual machine:

- 1 Start Parallels Management Console.
- 2 Open the **Virtual Machine Configuration** dialog (p. 87, p. 86) and launch **Add Hardware Wizard** by clicking the **Add** button  in the bottom part of the dialog.
- 3 In the **Select Device** window, select **Floppy Disk** and click **Next**.
- 4 In the **Add Floppy Disk** window, select the resource for the new floppy disk and click **Next**. The following resources can be used:
  - **Real Floppy Disk**. The wizard will use a real disk to emulate a floppy disk.
  - **Existing Image File**. The wizard will find and use an existing image file to emulate a floppy disk.
  - **New Image File**. The wizard will create a new image to emulate a floppy disk.



If you want the device to be connected to the virtual machine automatically at startup, select the **Connected** option. If you clear this option, the drive will be enabled in the configuration, but not connected to the virtual machine. You can connect it later when running the virtual machine.

- 5** If you selected **New image File**, click **Add Device** to complete the procedure of adding a new floppy image file.

If you selected **Existing Image File**, specify the location of the image file and click **Add Device** to complete the procedure.

If you selected **Real Floppy Disk**, specify the drive of the real floppy disk and click **Add Device** to complete the procedure.

## Adding Network Adapter

You can add up to ten network adapters to a virtual machine.

To add a network adapter to the virtual machine:

- 1 Start Parallels Management Console.
- 2 Open the **Virtual Machine Configuration** dialog (p. 87, p. 86) and launch **Add Hardware Wizard** by clicking the **Add** button  in the bottom part of the dialog.
- 3 In the **Select Device** window, select **Network Adapter** and click **Next**.

To add a network adapter with typical configuration, choose the **Network Adapter** icon and click the **Add Typical Device** button. The wizard will add a typical ready to use network adapter.

- 4 In the **Add Network Adapter** window, select the type of networking you want to use and click **Next**.
  - **Virtual Network.** If you select this option, the network adapter will be connected to one of the virtual networks (p. 41) available to the Parallels physical server.
  - **Direct Assignment (using Intel VT-d).** If you select this option, the virtual machine will be able to access the local network and Internet through a PCIe network adapter. This option is available only if you have a PCIe network adapter and the Intel VT-d technology is enabled in the Parallels physical server.



If you want the device to be connected to the virtual machine automatically at startup, select the **Connected** option. If you clear this option, the drive will be enabled in the configuration, but not connected to the virtual machine. You can connect it later when running the virtual machine.

- 5** If you selected the **Virtual Network** option, in the next step you will need to select the virtual network (p. 41) to which the virtual machine network adapter will be connected.

If you selected the **Direct Assignment (using Intel VT-d)** option, in the next step select the PCIe network adapter you want to use. Before using the PCIe adapter in your virtual machine, you will need to assign it to your virtual machines in the **Intel VT-d** pane (p. 39) of the **Server Settings** dialog (p. 32) and install the manufacturer's driver for this PCIe device inside the virtual machine. The driver should support the Intel VT-d technology.

Click **Add Device**.

## Adding Serial Port

You can add an existing or a newly created serial port connected to a real port, to a socket, or to an output file.

---

**Note:** Up to four serial ports can be added to the virtual machine configuration.

---

To add a serial port to the virtual machine:

1 Open the **Virtual Machine Configuration** dialog (p. 87, p. 86) and launch **Add Hardware Wizard** by clicking the **Add** button  in the bottom part of the dialog.

2 In the **Select Device** window, select **Serial Port** and click **Next**.

To add a serial port with typical configuration, click the **Add Typical Device** button. The wizard will add a typical ready to use serial port.


3 In the **Add Serial Port** window, specify the resource to be used for serial port emulation and click **Next**. The following resources can be used:

- **Real Port.** Select this option to connect the virtual machine serial port to the serial port of the host computer. You will be able to choose the serial port in the next window.
- **Output File.** Select this option to connect the virtual machine serial port to an output file. You will be able to locate the file in the next window.
- **Socket.** Select this option to create and connect the virtual machine serial port to a socket of the host computer.

---

**Note:** When you connect two virtual machines via serial ports, both virtual machines should have serial ports, emulated by sockets with the identical names.

---



If you want the device to be connected to the virtual machine automatically at startup, select the **Connected** option. If you clear this option, the drive will be enabled in the configuration, but not connected to the virtual machine. You can connect it later when running the virtual machine.

**4** In the next window, specify the resource properties:

- If you chose **Real Port**, specify the port to be used for the virtual serial port device in the **Serial Port** list.
- If you chose **Output File**, define the file to be used for the virtual serial port device in the **Output File** field or leave the default file offered by **Add Hardware Wizard**.
- If you chose **Socket**, specify the name of the socket to be used for the virtual serial port device and its mode. The socket mode defines the role the virtual machine will play when establishing a network connection to another computer. It can be set to one of the following: **Server** or **Client**. The **Server** socket enables you to use the given virtual machine to direct the other one. The **Client** socket enables you to direct the given virtual machine from the other one.

---

**Note:** When you establish a connection between two virtual machines, one virtual machine socket should function in the **Server** mode, and the other one - in the **Client** mode.

---

When you are ready, click the **Add Device** button to add a new serial port to your virtual machine.

## Adding Parallel Port

You can add an existing parallel port connected to a real port, to a printer, or to an output file.

---

**Note:** Up to three parallel ports can be added to the virtual machine configuration.


---

To add a parallel port to the virtual machine:

- 1 Open the **Virtual Machine Configuration** dialog (p. 87, p. 86) and launch **Add Hardware Wizard** by clicking the **Add** button  in the bottom part of the dialog.
- 2 In the **Select Device** window, select **Parallel Port** and click **Next**.

To add a parallel port with typical configuration, click the **Add Typical Device** button. The wizard will add a typical ready to use parallel port.

- 3 In the **Add Parallel Port** window, specify the resource to be used for parallel port emulation and click **Next**. The following resources can be used:
  - **Real Port.** Select this option to connect the virtual machine parallel port to a real parallel port of the host computer.
  - **Output File.** Select this option to emulate the parallel port by using an output file. In this case, a new output file with the default name will be created in the virtual machine folder.
  - **Printer.** Select this option to connect a printer using the virtual machine parallel port.



If you want the device to be connected to the virtual machine automatically at startup, select the **Connected** option. If you clear this option, the drive will be enabled in the configuration, but not connected to the virtual machine. You can connect it later when running the virtual machine.

- 4 In the next window, specify the resource properties:
  - If you chose the **Real Port** option in the previous step, you should choose the appropriate parallel port name in the **Parallel Port** list.
  - If you chose the **Output File** option in the previous step, you should set the path to the corresponding file in the **Output File** field. You can leave the file offered by Add Hardware Wizard or specify another one by using the **Choose** button or manually typing the full path to it in the field provided.
  - If you chose the **Printer** option in the previous step, you should choose the appropriate printer name in the **Printer** list.

Click the **Add Device** button to add a new parallel port to your virtual machine.

## Adding USB Controller

You can add a USB controller to your virtual machine. USB controllers installed inside your virtual machines allow USB devices plugged into the USB drives of the host computer to be connected to the corresponding virtual machines.

---

**Note:** A virtual machine can have only one USB controller. If you removed it for any reason, you can add it back to the configuration.

---

To add a USB controller to a virtual machine:

- 1 Choose **Configure** from the **Virtual Machine** menu to open the **Virtual Machine Configuration** dialog (p. 87, p. 86).
- 2 Click the **Add** button  in the bottom part of the **Virtual Machine Configuration** dialog to launch Add Hardware Wizard.
- 3 In the **Select Device** window, select **USB Controller** and click **Add Device**.

## Adding Generic SCSI Device

If the Parallels physical server hardware includes any SCSI device (except for SCSI hard disks or CD/DVD-ROM drives), you can add to your virtual machine a generic SCSI device.

---

**Note:** 1. A virtual machine can have up to four IDE devices and 15 SCSI devices.

2. Red Hat Linux Enterprise 4.7 and 5.3 guest OSs do not support SCSI controller.

---

To add a generic SCSI device to a virtual machine:

- 1 Choose **Configure** from the **Virtual Machine** menu to open the **Virtual Machine Configuration** dialog (p. 87, p. 86).
- 2 Click the **Add** button  in the bottom part of the **Virtual Machine Configuration** dialog to launch **Add Hardware Wizard**.
- 3 In the **Select Device** window, select **Generic SCSI** and click **Next**.

To add a generic SCSI device that will have a typical configuration, choose the **Generic SCSI** icon and click the **Add Typical Device** button. The wizard will create a typical SCSI device ready for use.

- 4 In the **Add Generic SCSI** window, choose the SCSI device you want to add to your virtual machine from the **SCSI Device** list.


You can also define the device position in the **Location** list or accept the position offered by **Add Hardware Wizard**.

---

**Note:** The SCSI 7:0 location is not available for selecting, since it is occupied by the SCSI controller itself.

---

You may also type a brief description of the added device in the **Description** field.



When you are ready, click the **Add Device** button to add a generic SCSI device to your virtual machine.

## Adding Sound

You can add a sound device to the virtual machine.

---

**Note:** Any virtual machine can have only one sound device.

---

To add a sound device to a virtual machine:

- 1 Choose **Configure** from the **Virtual Machine** menu to open the **Virtual Machine Configuration** dialog (p. 87, p. 86).
- 2 Click the **Add** button  in the bottom part of the **Virtual Machine Configuration** dialog to launch **Add Hardware Wizard**.
- 3 In the **Add Sound** window, specify the sound input and output devices the virtual machine will use:

**Input device.** Use the input list to choose the necessary device:

- **Default.** Select this option if you want to use the input device set as default in the primary OS.
- **Null Device.** Select this option if you want to mute the input device inside the virtual machine.
- **Built-in Input.** Select this option if you wish to use other input devices connected to the primary OS.

**Output device.** Use the output list to choose the necessary device:

- **Default.** Select this option if you want to use the input device set as default in the primary OS.
- **Null Device.** Select this option if you want to mute the output device inside the virtual machine.
- **Built-in Output.** Select this option if you wish to use other output devices connected to the primary OS.

You can also select the **Activated** option to have the sound device automatically activated on the virtual machine startup.

When you are ready, click the **Add Device** button to add a new sound device to your virtual machine.

## Removing Devices

Most virtual machine devices can be removed from the virtual machine configuration.

---

**Note:** Some devices can be temporarily disabled by clearing the **Enabled** option on their settings panes of the **Virtual Machine Configuration** dialog (p. 87, p. 86).

---

To remove a device:

- 1 Select a virtual machine.
- 2 Choose **Configure** from the **Virtual Machine** menu to open the **Virtual Machine Configuration** dialog (p. 87, p. 86).
- 3 Select the device you want to remove and click the **Remove** button  in the bottom part of the dialog.

---

**Note:** If you accidentally press the **Remove** button , click the **Cancel** button in the **Virtual Machine Configuration** dialog. Once you click **OK**, the device will be removed.

---

## CHAPTER 7

# Managing Virtual Machines

This chapter provides information on the main day-to-day operation you are likely to perform on your virtual machines:

- cloning a virtual machine (p. 149)
- deleting a virtual machine (p. 151)
- working with virtual machine templates (p. 154)
- managing virtual machines from the notification area (p. 159)
- working with snapshots (p. 160)
- migrating virtual machines (p. 165)
- working with virtual machine backups (p. 166)

## In This Chapter

Cloning a Virtual Machine.....	149
Deleting and Removing a Virtual Machine .....	151
Managing Virtual Machine Templates.....	154
Managing Virtual Machines From the Tray.....	159
Working With Snapshots .....	160
Migrating a Virtual Machine.....	165
Working With Virtual Machine Backups .....	166

---

## Cloning a Virtual Machine

If you need to create an exact copy of a virtual machine, to back it up or for some other purposes, use:

- Clone Virtual Machine Wizard (if Parallels Management Console is installed on a Windows- or Linux-based physical computer)
- Clone Virtual Machine Assistant (if Parallels Management Console is installed on a Mac-based physical computer)

The cloned virtual machine has the same configuration as the original virtual machine does. If a device in the original machine was connected to an external resource, in the cloned virtual machine, this device will be connected to the same external resource.

---

**Notes:** 1. If the original virtual machine has a parallel or serial port connected to an output file, the virtual machine clone will have empty output files.

2. If a network adapter is enabled in the original configuration, a new MAC address will be generated for the virtual machine clone.

---


Before you start cloning a virtual machine, make sure that the virtual machine is not running.

To clone a virtual machine:

- 1 Launch Parallels Management Console.
- 2 In the sidebar, select the virtual machine you want to clone.
- 3 Start Clone Virtual Machine Wizard by doing one of the following:
  - choosing **Clone** from the **File** menu
  - right-clicking the virtual machine in the sidebar and choosing **Clone** from the shortcut menu
- 4 In the **Name and Location** window, type the name of the virtual machine clone and specify the folder for its files to be stored. You can use the **Choose** button to locate the folder.

By default, the files of the virtual machine clone will be placed to the following folder:

- in **Mac OS X**: `/Users/Shared/Parallels/<Virtual Machine Name>/`
- in **Parallels Server Bare Metal**: `/var/parallels/<Virtual Machine Name>`
- in **Parallels Server 4.0 for Mac Bare Metal Edition**: `/var/parallels/<Virtual Machine Name>`



When finished, click **Clone**.

- 5 When the operation is complete, click **Done** in the **Cloning Finished** window.

The clone of the virtual machine will appear in the sidebar of the Parallels Management Console window.

---

# Deleting and Removing a Virtual Machine

If you do not need any of your virtual machines, you can either temporarily remove or delete it from Parallels Management Console.

When removing a virtual machine from Parallels Management Console, you do not remove the virtual machine files from the Parallels server. You can easily add the removed virtual machine back to the virtual machines list with the help of Add Existing Virtual Machine Assistant. For more information about adding existing virtual machines, see [Adding an Existing Virtual Machine](#) (p. 73).

Deleting a virtual machine means permanently erasing its files from the Parallels server. Make sure you transferred all the necessary data from the virtual machine before deleting it: this operation is irreversible. All the virtual machine data will be lost.

You can delete a virtual machine using Delete Virtual Machine Assistant (or Delete Virtual Machine Wizard if Parallels Management Console is installed on a Windows- or Linux-based physical computer) that finds and deletes all the virtual machine files. Or you can delete a virtual machine manually. However, we recommend that you use Delete Virtual Machine Assistant.

By default, Delete Virtual Machine Assistant removes all files that are stored in the virtual machine folder, including:

- configuration file
- virtual hard disk file(s)
- floppy disk image file(s), if any
- output files of serial and parallel ports, if any

To delete a virtual machine or remove it from the list:

- 1 Launch Parallels Management Console.
- 2 In the sidebar (p. 13), select the virtual machine you want to delete or remove from the list.
- 3 Start Delete Virtual Machine Assistant by doing one of the following:
  - choose **Remove** from the **File** menu
  - click **Remove** in the **Operations** section of the virtual machine **Summary** tab

---

**Note:** Before deleting a virtual machine, make sure that the virtual machine is stopped.


---

- 4 In the **Delete Options** window, select the operation you want to perform on the virtual machine.
  - To delete the virtual machine, select **Delete** and click **Continue**.
  - To remove the virtual machine from the list, select **Remove from list** and click **Remove**.

---

**Note:** If you remove the virtual machine from the list visible in Parallels Management Console, its files will not be removed from the Parallels server. You will be able to add this virtual machine back.


---



- 5 If you chose to delete the virtual machine, you would be presented with the Files Selection window. This window displays all the files that belong to the virtual machine. In the File Selection window, choose the virtual machine files to be deleted from the Parallels server and click Delete.

The assistant automatically selects the files that belong to the virtual machine, such as:

- **VM Configuration File.** The file has the `.pvs` extension and defines hardware and resources configuration of the virtual machine.
- **Hard Disk Image.** The file has the `.hdd` extension and represents a virtual hard disk of the virtual machine.
- **Floppy Image.** The file has the `.fdd` extension and is a floppy disk image file.
- **File.** The file has the `.DS_Store` extension and is a hidden file created by the host OS to store custom attributes of a folder.
- **Logging File.** The file has the `.log` extension and serves to record the data.



- 6 Once the operation is complete, click Done to exit the assistant.

---

## Managing Virtual Machine Templates

If you need to create several virtual machines with a similar configuration, you can create a virtual machine template and use it as the basis for creating new virtual machines.

You can use one of the following ways to create a virtual machine template:

- Convert an existing virtual machine into a virtual machine template. In this case, the virtual machine will be moved from the virtual machines list to the templates list once the conversion is complete. It means that the virtual machine will be available as a template only (i.e. you will not be able to run it).
- Clone an existing virtual machine to a virtual machine template. By cloning a virtual machine, you make its exact copy and can use it to create virtual machines with the same configuration.

## Creating a Virtual Machine Template

To convert an existing virtual machine into a template:

- 1 Choose the virtual machine you want to convert into a template by clicking its icon in the sidebar.
- 2 Choose **Convert to Template** from the **File** menu or right-click the virtual machine icon in the sidebar and choose **Convert to Template** from the shortcut menu.


The virtual machine will be moved to the templates list.

To clone a virtual machine to a template:

- 1 Launch Parallels Management Console.
- 2 In the sidebar, select the virtual machine you want to be cloned to a virtual machine template.
- 3 Start **Clone to Template Virtual Machine Wizard** (or **Clone to Template Virtual Machine Assistant** if Parallels Management Console is installed on a Mac-based physical computer) by doing one of the following:
  - choosing **Clone to Template** from the **File** menu
  - right-clicking the virtual machine in the sidebar and choosing **Clone to Template** from the shortcut menu
- 4 In the **Clone to Template Virtual Machine Wizard Introduction** window, click **Next**. To skip this window next time you start the wizard, select **Always skip introduction**.
- 5 In the **Name and Location** window, specify the name and location for the virtual machine template and click **Clone**. You can use the **Choose** button to change the location.

By default, the virtual machine template files will be placed to the following folder:

- in **Mac OS X**: `/Users/Shared/Parallels/<Virtual Machine Template Name>/`
- in **Parallels Server Bare Metal**: `/var/parallels/<Virtual Machine Template Name>`
- in **Parallels Server 4.0 for Mac Bare Metal Edition**: `/var/parallels/<Virtual Machine Template Name>`



- 6 In the Creation Finished window, click Done to quit the wizard.

## Deploying a Virtual Machine Template

The virtual machine template cannot be run as a virtual machine. To be able to run it as a virtual machine, you should create a virtual machine that will have the same configuration the template does.

There are two ways of creating a virtual machine from a template:

- convert the template to a virtual machine
- deploy the template to a new virtual machine

If you convert a virtual machine template into a virtual machine, its icon will be moved from the templates list to the virtual machines list, and you will be able to use it as a virtual machine.

If you deploy a virtual machine template to a virtual machine, Deploy Virtual Machine Template Wizard will create a new virtual machine, but the template will not be removed from the templates list.

To convert a virtual machine template into a virtual machine:

- 1 In the sidebar, select the template you want to convert into a virtual machine.
- 2 Choose **Convert to Virtual Machine** from the **File** menu or right-click the template icon in the sidebar and choose **Convert to Virtual Machine** from the shortcut menu.


The virtual machine template will be moved from the templates list to the virtual machines list.

To deploy a virtual machine template to a new virtual machine:

- 1 Launch Parallels Management Console.
- 2 In the sidebar, select the virtual machine template you want to be deployed to a new virtual machine.
- 3 Start **Deploy Virtual Machine Template Wizard** (or **Deploy Virtual Machine Template Assistant** if Parallels Management Console is installed on a Mac-based physical computer) by doing one of the following:
  - choosing **Deploy to Virtual Machine** from the **File** menu
  - right-clicking the virtual machine in the sidebar and choosing **Deploy to Virtual Machine** from the shortcut menu
- 4 In the **Deploy Virtual Machine Template Wizard Introduction** window, click **Next**. To skip this window next time you start the wizard, select **Always skip introduction**.
- 5 In the **Name and Location** window, specify the name and location for the virtual machine and click **Deploy**. You can use the **Choose** button to change the location.

By default, the virtual machine files will be placed to the following folder:

- in **Mac OS X**: `/Users/Shared/Parallels/<Virtual Machine Name>/`
- in **Parallels Server Bare Metal**: `/var/parallels/<Virtual Machine Name>`
- in **Parallels Server 4.0 for Mac Bare Metal Edition**: `/var/parallels/<Virtual Machine Name>`



**6** In the Deployment Finished window, click Done to close the wizard.

The resulting virtual machine will have the same configuration that the original template had.

---

## Managing Virtual Machines From the Tray

When working with Parallels Management Console, you can use the Parallels Management Console tray icon (p. 20) to easily manage your running and paused virtual machines:

- Double-click the tray icon to bring the Parallels Management Console window (p. 13) to focus.
- Right-click the tray icon to open its context menu where you can see your running and paused virtual machines.


---

**Note:** Suspended and stopped virtual machines are not listed in the tray icon context menu.

---

Point to a virtual machine and do one of the following:

- Choose **Show Window** to bring the virtual machine window to focus. If this window is detached, only the detached window will be brought to focus.
- If the virtual machine is paused, choose the corresponding item to resume, suspend, shut down or restart this virtual machine.
- If the virtual machine is running, choose the corresponding item to pause, suspend, shut down or restart this virtual machine.



---

## Working With Snapshots

A snapshot is a saved state of the virtual machine. Snapshots can be created manually or automatically when the virtual machine is running. After you make a snapshot, you can continue working with the virtual machine and revert to the created snapshot at any time of your work.

Snapshots are stored inside the virtual machine bundle, in the `Snapshots` subfolder. Each snapshot has a number of files, including the `.sav` file that contains the virtual machine's state, the `.mem` file that contains the memory dump for the virtual machine, and other different files of the virtual hard disk.

---

**Note:** Snapshots are not backup copies or clones of your virtual machine. You cannot use them alone without your virtual machine or move them from the virtual machine bundle.

---

You may need to make snapshots in the following cases:

- If you are configuring a software that requires a lot of settings, you may want to explore the settings functions before selecting them. For testing the settings, create snapshots at branching points.
- If you want to mark milestones in the development process. If something goes wrong, you can always revert to the previous state or create a branch of snapshots starting with the particular milestone snapshot.

## Making Snapshots

Snapshots can be created manually or automatically using SmartGuard (p. 100).

---

**Note:** You cannot create a snapshot manually or automatically or revert to a snapshot when your virtual machine is paused.

---

To make a snapshot manually:

- 1 Make sure that you completed all operations of installing, downloading, or writing to external devices before taking a snapshot.

---

**Note:** You can create a snapshot at any time. But it is recommended to complete all operations of installing, downloading, or writing to external devices before taking a snapshot. You should also complete or cancel any transactions performed via the virtual machine in external data bases.

---

- 2 Choose **Take Snapshot** from the **Virtual Machine** menu or use the **Take Snapshot** button



on the toolbar of your virtual machine's window. If the toolbar does not contain this button, you can add it to the toolbar. For more information, refer to the **Customizing Toolbar** section (p. 18).

---

**Note:** To make a snapshot, you can also use **Virtual Machine Snapshots**. Just choose **Manage Snapshots** from the **Virtual Machine** menu and click the **New** button. A new snapshot will be created.

---

- 3 In the **Snapshot Parameters** window, you can provide a name and a short description for the snapshot. This information and the date of creation will be visible in **Virtual Machine Snapshots** when you hover the pointer over the snapshot icon.
- 4 Click **OK** to take a snapshot.

After the snapshot is created, you can continue working with your virtual machine current state or use any of its snapshots.

To revert to a snapshot, open **Virtual Machine Snapshots** by choosing **Manage Snapshots** from

the **Virtual Machine** menu or by clicking the **Manage Snapshots** button  on the toolbar of the virtual machine window.

To create snapshots automatically, configure the **SmartGuard** settings (p. 100).

## Managing Snapshots

You can use Virtual Machine Snapshots to revert to a specific snapshot, as well as to manage the snapshots. To open Virtual Machine Snapshots, do one of the following:

- choose **Manage Snapshots** from the **Virtual Machine** menu
- click the **Manage Snapshots** button  in the toolbar (p. 16)

---

**Note:** To add this button to the toolbar, you should customize the toolbar. To learn how to do that, refer to the **Customizing Toolbar** section (p. 18).

---

Using Virtual Machine Snapshots, you can:

- create new snapshots and delete the unused ones
- view the snapshot tree of a particular virtual machine
- select a snapshot to revert to

---

**Note:** You cannot create a snapshot manually or automatically or revert to a snapshot when your virtual machine is paused.

---

The **Virtual Machine Snapshots** window consists of the following areas:

- The snapshots tree pane.
- The snapshots management pane.

### Snapshots Tree Pane

Snapshot icons appear as screen shots of the guest OS window if the virtual machine was running at the time you created a snapshot.

The left icon with a flag is the *root* of the snapshots tree - it is the initial state of the virtual machine used as the reference point. You cannot delete the root icon. The root icon is visible if at least one snapshot exists. If you want to delete a snapshot which is parental for some other snapshots, you can decide whether to delete only this snapshot or delete it with all the subsequent snapshots.

All snapshots in the snapshots tree are descendants of the *root* state of the virtual machine. The first snapshot contains "differences" with respect to the root state. The second successive snapshot contains differences with respect to the first snapshot. You may want to return to one of the previous snapshots and work with it. If you then create a new snapshot, a new snapshots branch will be created.

When you hover the pointer over an item, you will see a tooltip message with a short description.

### Snapshots Management Pane

The snapshots management pane includes the buttons necessary for managing the snapshots.

- The **New** button. Click this button to create a new snapshot for the present state of your virtual machine.

- The **Go To** button. Select the snapshot you want to go to in the snapshots tree and click this button to move from the present state of your virtual machine to the state saved in this snapshot.

---

**Note:** Before you go to a specific snapshot, decide what you want to do with the current state of the virtual machine - by default, it will not be saved. To retain the changes made since the last snapshot, make a new snapshot.

---

- The **Delete** button. Select the snapshot you want to delete and click this button. If you delete an intermediate snapshot, the information it contains will be merged into the subsequent snapshot.

---

**Note:** You cannot delete the *root* icon. It disappears only when you delete all snapshots in the tree.

---

You can also manage snapshots by right-clicking them in the tree:

- If you right-click the icon that shows the present state of the virtual machine, you can create a new snapshot for this state.
- If you right-click any other intermediate snapshot, you can choose to go to it, to delete it alone or with all the subsequent snapshots, or to edit its name and description.

### Going to a Snapshot

- 1 Launch Parallels Management Console and select a virtual machine.
- 2 Open Virtual Machine Snapshots by doing one of the following:
  - choosing **Manage Snapshots** from the **Virtual Machine** menu
  - clicking the **Manage Snapshots** button  in the toolbar (p. 16)
- 3 Select the snapshot you want to revert to and click **Go To**. If you revert to a snapshot from an unsaved state of the virtual machine, you will see the notification about that. Click **Yes** if you want to proceed without saving the state. Click **No** if you want to save the state and then go to the needed snapshot.

---

**Note:** If, after the Parallels Server update, you decide to revert to one of the snapshots made before the update, you will see the message that a new Parallels Tools update is available. We recommend you to install them to work effectively with the virtual machine.

---

### Deleting a Snapshot

- 1 Launch Parallels Management Console and select a virtual machine.
- 2 Open Virtual Machine Snapshots by doing one of the following:
  - choosing **Manage Snapshots** from the **Virtual Machine** menu
  - clicking the **Manage Snapshots** button  in the toolbar (p. 16)
- 3 Select the snapshot you want to delete and click the **Delete** button if you want to delete only this snapshot. If you want to delete all the snapshots that come after it, right-click the snapshot and choose the **Delete Snapshot with children** option.

If you delete an intermediate snapshot, the information it contains will be merged into the snapshot that follows it.

---

**Note:** You cannot delete the root icon, but it gets automatically deleted after you delete all the other snapshots.

---

### Merging Snapshots

Merging is performed automatically when you delete any snapshot except the last one in the branch. When you delete an intermediate snapshot, the information it contains is merged into the next snapshot of the same branch.

If you delete the snapshot belonging to two branches, the information is merged into the next snapshot of each branch.

---

**Note:** If you delete the snapshot that comes after the root icon and that belongs to two branches, the branches will start from the initial state icon directly.

---

The snapshots are also merged automatically if you manage the capacity of your virtual hard disk with the help of Parallels Image Tool. Before applying any changes to the virtual hard disk, Parallels Image Tool merges and deletes all the snapshots except for the last one. Unlike merging the snapshots in Virtual Machine Snapshots, the results of merging process via Parallels Image Tool are not reflected in the snapshots tree, and the icons of already deleted snapshots are still present in the tree.

---

## Migrating a Virtual Machine

If you have two or more Parallels servers registered in Parallels Management Console, you can migrate your virtual machines between them. The cases when you need to move a virtual machine from one Parallels server (source server) to another (destination server) can be quite numerous. A migration can be performed to distribute the workload between physical servers, or in view of an interruption in the source physical server operation.

You can migrate any number of virtual machines at a time. However, before migration, you should check if the amount of free disk space, CPU numbers, and memory on the destination server is enough to run your virtual machine(s).

To migrate a virtual machine:


- 1 Launch Parallels Management Console.
- 2 Select a virtual machine in the sidebar (p. 13).

---

**Note:** You can migrate a virtual machine in any of the following states: running, stopped, paused, suspended.

---

- 3 Start Migrate Virtual Machine Wizard (or Migrate Virtual Machine Assistant if Parallels Management Console is installed on a Mac-based physical computer) by doing one of the following:
  - choose **Migrate** from the **File** menu
  - right-click the virtual machine and choose **Migrate** from the context menu
  - click **Migrate** on the virtual machine **Summary** pane
- 4 In the **Target Server** window, select a server to which the virtual machine will be migrated.



- 5 Click **Migrate** to start the procedure. The virtual machine will be migrated to the specified Parallels server.

---

**Warning:** After you click **Migrate**, do not work with the virtual machine or you may prevent it from being properly migrated to the destination server. Wait till the migration process is over.

---



---

## Working With Virtual Machine Backups

Parallels Management Console allows you to back up the virtual machines residing on the registered Parallels servers. A regular backing up of virtual machines is essential for any physical server reliability.

---

**Note:** If you back up a virtual machine that has snapshots, the snapshots will not be included into the backup, and as a consequence, a virtual machine restored from this backup will have no snapshots either.

---

To work with virtual machine backups, select a virtual machine in the sidebar (p. 13) and go to the **Backup** tab. If the virtual machine has any backups, the information about these backups is available on the **Backup** tab:

Column Name	Description
ID	The ID assigned to the backup archive.
Date	The date when the backup archive was created.
Size	The size of the backup archive, in megabytes.
Type	The backup type: <ul style="list-style-type: none"> <li>▪ A full backup indicated by <b>f</b>.</li> <li>▪ An incremental backup indicated by <b>i</b> and containing only the files changed since the previous full or incremental backup.</li> </ul>
Description	Description of the backup archive.

The **Backup** tab also contains the necessary controls allowing you to create a new backup, to restore a backup, or remove it from the Parallels server. More detailed information on how to do these operations is given in the following subsections.

## Backing Up a Virtual Machine


To back up a virtual machine, do the following:

---

**Note:** If you back up a virtual machine that has snapshots, the snapshots will not be included into the backup, and as a consequence, a virtual machine restored from this backup will have no snapshots either.

---

- 1 Select a virtual machine in the sidebar (p. 13) and go to the **Backup** tab.
- 2 Click the **New** button. The **Back Up Virtual Machine** window will be displayed.



- 3 In this window, select the backup type:
  - **Full.** If the virtual machine has no backups at all, you will be able to choose only this backup type.
  - **Incremental.** This backup type is available only if the virtual machine has a full backup. An incremental backup contains only the files changed since the previous full or incremental backup.

You can also add a short description to the backup.

- 4 Click **OK**.

---

**Note:** Backing up a virtual machine may take you some time. Do not work with the virtual machine until the procedure is over.

---

## Restoring and Removing Virtual Machine Backups

To restore a virtual machine backup, do the following:

- 1 Select a virtual machine in the sidebar (p. 13) and go to the **Backup** tab.
- 2 On this tab, select the backup you want to restore and click **Restore**.

---

**Note:** Restoring a virtual machine backup may take some time. Please wait until the procedure is over.

---

To remove a virtual machine backup, do the following:

- 1 Select a virtual machine in the sidebar (p. 13) and go to the **Backup** tab.
- 2 On this tab, select the backup you want to remove and click **Delete**. The selected backup will be removed from the Parallels server.

## CHAPTER 8

# Using Parallels Compressor

Parallels Compressor is an easy-to-use Parallels utility which will help you keep your virtual machines efficient for many purposes.

Parallels Compressor is a part of the Parallels Tools set and is installed, updated, and removed with Parallels Tools. To start Parallels Compressor, choose **Run Parallels Compressor** from the **Virtual Machine** menu.

Parallels Compressor allows users to:

- effectively clean up disk space in a virtual machine
- significantly reduce the size of virtual hard disks files
- efficiently use the resources of a physical hard disk

---

**Note:** Compressing of a virtual machine cannot be performed if the virtual machine has the Undo disks option enabled, or if it has snapshots. Compressing is also unavailable for the virtual machines with plain disks (p. 111).

---

If, nevertheless, you want to compress the virtual machine that has snapshots, delete all the snapshots with the help of Snapshot Manager before you start compressing the virtual machine's disks. For more information, refer to **Managing Snapshots** (p. 162).

To compress the virtual machine with Undo Disks, first disable the Undo disks feature in Virtual Machine Configuration.

## In This Chapter

Guest Operating System Requirements.....	170
Parallels Compressor Working Principles.....	170
How to Run Parallels Compressor .....	171

---

## Guest Operating System Requirements

Parallels Compressor supports the following guest operating systems:

32-bit operating systems:

- Windows 2000 Server SP4, Professional SP4
- Windows XP Professional SP2, SP3, Home SP2, SP3
- Windows Server 2003 Web, Standard, Enterprise, Datacenter SP2, R2
- Windows Vista Home, Business, Ultimate, Enterprise SP0, SP1
- Windows 2008

64-bit operating systems:

- Windows XP Professional SP2
- Windows Server 2003 Web, Standard, Enterprise, Datacenter SP2, R2
- Windows Vista Home, Business, Ultimate, Enterprise SP0, SP1
- Windows 2008

---

## Parallels Compressor Working Principles

Compressor processes a virtual machine in the following way:

- defragments virtual disks and cleans up unused space
- compacts virtual disks

The actions performed on your particular virtual machine depend upon the running mode:

- in *automatic* mode Parallels Compressor compresses only the current system disk performing the pre-defined set of actions
- in *manual* mode you are able to choose disks to compress and actions to perform

More about running modes and other Compressor properties can be found in *Parallels Compressor Help*.

### Steps of the Compression Procedure

Parallels Compressor is designed to perform the most efficient compression of a virtual machine. The procedure consists of two steps:

- a preparatory step performed in the guest operating system (deleting temporary and unnecessary files, defragmenting virtual disks and cleaning unused disk space);
- a compacting step (reducing the size of the virtual disk files) performed in the primary operating system.

---

# How to Run Parallels Compressor

## Before Starting Parallels Compressor

Before starting the utility, back up your virtual machine by cloning it or by copying its hard disk files to a safe location. This will allow you to restore your virtual machine in case you do not like the results of the compression.

---

**Warning:** The result of virtual machine compression is irreversible.

---

To start Parallels Compressor:

- 1 Start the virtual machine you want to compress.
- 2 Log in to the guest operating system as a user with administrator rights.

---

**Note:** To run Parallels Compressor in a virtual machine you must have administrator rights in the guest operating system.

---

- 3 Choose Run Parallels Compressor from the **Virtual Machine** menu.

## Running Parallels Compressor

Parallels Compressor has the following running modes:

- *automatic*, the default mode. In this mode Compressor uses the default compression options.
- *manual*, Parallels Compressor runs as a wizard which helps you select the options of virtual machine compression.

When you start Parallels Compressor, you will see the dialog box with a time indicator. The time indicator shows the time remaining until Parallels Compressor will run in automatic mode (timeout is about 10 seconds).



To run Parallels Compressor:

- in *automatic* mode, do not do anything, just wait until the timeout expires.
- in *manual* mode, press the ESC key or click the **Manual Mode** button on the dialog box before the timeout expires.
- Detailed information about running Compressor in these modes is given in *Parallels Compressor Help*.

### After Compressing Is Finished

When the compressing is complete, click **Finish** to exit Parallels Compressor.

## CHAPTER 9

# Troubleshooting and Limitations

This chapter provides information about issues that may pose a problem when running Parallels Management Console and possible solutions for these problems.

## In This Chapter

Getting Technical Support .....	173
Reporting a Problem to Parallels Support Team .....	174
Memory Usage Problems .....	176
Problems With Antivirus Software .....	177
Upgrading or Installing Parallels Tools in Text Mode in a Linux Guest OS .....	178
Installing the GCC package and kernel sources in Linux .....	179

---

## Getting Technical Support

If you have problems with using Parallels Management Console, please view Parallels Management Console FAQs first.

Parallels Technical Support team is ready to help: describe your problem and submit a FREE support request to Parallels Support team (<http://www.parallels.com/support/>).

To discuss your problem online, visit Parallels Forum (<http://forum.parallels.com/>).

Telephone support is available on a per incident fee basis. For more information, visit the web page of Parallels Support team (<http://www.parallels.com/support/>).

---

## Reporting a Problem to Parallels Support Team


To help improve the quality of Parallels Server, you can send problem reports to Parallels support team. If a fatal error occurs in a virtual machine, Parallels Management Console automatically opens the **Parallels Problem Report** window prompting you to send a report. If you notice an unusual virtual machine behavior, you can create a report manually by choosing **Report a Problem** from the **Help** menu and filling out the form. Parallels Management Console will create a status report and make a screen shot of the running virtual machine.

---

**Note:** Parallels team collects error reports and uses them for identifying performance issues, but does not respond to them. If you need assistance in resolving the issue, visit Parallels forum or Support page, or log us a support call.

---

The Parallels Problem Report window looks as follows:



The screenshot shows a window titled "Parallels Problem Report" with a blue title bar and a close button. The main content area has a light beige background and contains the following elements:

- Do you have a problem with Parallels Server?**
- Text: "Please tell Parallels about this problem by sending this report. The report contains technical data helping us to understand the problem and improve the product for you. Note that this report won't be considered as a customer support request."
- A dropdown menu labeled "Specify the problem type:".
- Text: "Describe what you were doing when the problem came up:" followed by a large empty text area.
- Text: "Click a report element to view its contents. You can check or uncheck individual report elements to select specific kinds of data to be sent to the Parallels support team."
- Three report elements, each with a small icon and a checkbox:
  - Technical Data (with a keyboard icon)
  - Guest OS Screenshot (with a monitor icon)
  - Primary OS Screenshot (with a blue screen icon)
- Text input fields for "Contact name:" (containing "Andrew") and "Contact e-mail:".
- Buttons for "Send Report" and "Close" at the bottom right.

In the **Specify the problem type** field, you can select the type of your problem from the list. In the next field, you can add a short problem description. These two fields are optional.

The **Technical Data** option includes the `.txt` status report file that has been generated for the error. The status report contains the product version and activation data, primary and guest OSs information, virtual machine configuration and system data information, processor status, etc. Click the **Technical Data** icon to view the `.txt` file and to choose the sections that will be added to the report. The file is saved on the host computer. If you want to locate it, click the **Go To File** button.

The **Guest OS Screenshot** option includes the session screen shot of the guest OS in a `.png` format. This option is available if you create a problem report during the virtual machine session. Click the **Guest OS Screenshot** icon to see the screen shot and the path to its location on the host computer.

The **Primary OS Screenshot** option includes the session screen shot of the primary OS in a `.png` format. This screen shot is made and put on the primary OS desktop whenever you create a problem report. Click the **Primary OS Screenshot** icon to see the screen shot.

In the **Contact Name** and **Contact e-mail** fields, type your name and e-mail. This information will be used by the Parallels support team to address you for more technical details if needed.

### **Sending a Report**

After you revise the problem report components, click **Send Report**. The report will receive its unique id number and will be sent to the Parallels support team.

---

## Memory Usage Problems

The amount of the host computer physical memory required for each virtual machine operation can be represented as follows:

Virtual Machine Memory = *Guest OS Memory* + *Video Memory* + *Virtual Machine Monitor Memory*

- *Guest OS Memory* is the amount of RAM available to your guest OS. You can configure the guest OS memory amount in the **Virtual Machine Configuration** dialog.
- *Video Memory* is the amount of physical memory available to the virtual machine's video card. You can adjust the video memory amount in the **Video** pane (p. 104) of **Virtual Machine Configuration**.
- *Virtual Machine Monitor* is the module responsible for the guest operating system virtualization. It consumes memory to perform operations of guest virtual devices and handle virtual paging emulation. The amount of memory required for the **Virtual Machine Monitor** operation depends on the guest OS and varies from 50 MB to 200 MB.

You can configure the whole amount of physical memory available for all running virtual machines in the **Memory** tab (p. 37) of the **application Preferences**.

### Memory Overcommitment

If you have several virtual machines running at a time, and you are trying to start one more virtual machine, you can come across the memory over commit. The application will inform you with the corresponding message. This means that all your running virtual machines require more memory that is configured in the **Memory** tab (p. 37) of the **application Preferences**. If you start one more virtual machine, this may significantly slow down all your virtual machines. To solve this problem, you can:

- stop one or several of your running virtual machines, or
- edit your virtual machines' configurations to make them consume less memory, or
- edit the application memory preferences to allocate more memory to your virtual machines.

---

## Problems With Antivirus Software

Because of the close integration with the operating system of the client computer, some actions performed by Parallels Management Console may be detected as malicious by the antivirus software.

However, such actions are necessary to ensure the proper functioning of Parallels Management Console. That is why you should prevent the antivirus software from blocking them. If you do not want the alerts to appear in future, perform a full system scan using the antivirus software and add these processes to the list of trusted ones if no viruses are detected. To find out how to do it, refer to your antivirus software Help.

---

**Note:** The names of Parallels Management Console processes usually start with `prl` or `parallels`.

---

# Upgrading or Installing Parallels Tools in Text Mode in a Linux Guest OS

If the X Server fails to start in Linux virtual machines, you need to install Parallels Tools in text mode to fix the problem.

- 1 Start the virtual machine.
- 2 When you see a message about X Server that failed to start, switch to another virtual console using Ctrl+Alt+F1 and enter your login details.
- 3 Choose **Install Parallels Tools** from the **Virtual Machine** menu to connect the Parallels Tools ISO image to your virtual machine.

---

**Note:** If the **Install Parallels Tools** option is grayed out, make sure that Parallels Tools can be installed in your guest operating system. To see the list of guest OSs supported by Parallels Tools, refer to **Parallels Tools Availability** (p. 64).

---

The `prl-tools-lin.iso` image file will be connected to the virtual machine's CD/DVD-ROM drive.

- 4 In the virtual machine console, type the following command to gain the `root` privileges:

```
su
```

- 5 Check if the Parallels Tools CD image is mounted by entering

```
mount | grep iso9660
```

If this command does not return anything, proceed to the next step.

If this command returns anything like

```
/dev/cdrom on /media/cdrom type iso9660 (ro,exec,nosuid,nodev,uid=0),
```

skip the next step and proceed to the following one.

If this command returns anything like

```
/dev/cdrom on /media/cdrom type iso9660 (ro,noexec,nosuid,nodev,uid=0)
```

with the `noexec` option present in parentheses, you need to unmount the disc using the following command and then proceed to the next step:

```
umount /dev/cdrom
```

- 6 To mount the Parallels Tools installation disc image, enter the following:

```
mount -o exec /dev/cdrom /media/cdrom
```

---

**Note:** `/dev/cdrom` is the virtual machine's CD/DVD-ROM drive and `/media/cdrom` is the mount point for this device. In some of the Linux operating systems the virtual CD/DVD-ROM drive may appear as `/dev/hdb` and the mount point `/mnt/cdrom`. Some Linux OSs do not have the CD/DVD-ROM mount point. In this case, you should create the mount point directory manually.

---

- 7 When the installation disc image is mounted, change the directory to the CD/DVD-ROM directory using

```
cd /media/cdrom/
```

- 8 In the CD/DVD-ROM directory, enter the following to launch Parallels Tools installation:

```
./install
```

---

**Note:** You must have the `root` privileges to run this command.

---

- 9 Follow the Parallels Tools Installer instructions to complete the installation.
- 10 When the installation of Parallels Tools is complete, restart your virtual machine.

For general information about installing Parallels Tools in Linux, refer to [Installing Parallels Tools in a Linux Guest OS](#) (p. 66).

---

## Installing the GCC package and kernel sources in Linux

When installing or upgrading Parallels Tools in a Linux virtual machine, you may need to install the `gcc` package and kernel sources in your Linux guest OS. Kernel sources can be either downloaded from the Internet, or installed from Linux distribution disks.

To install the `gcc` package and kernel sources in the RHEL/Fedora/CentOS Linux distribution, enter the following command in a terminal:

```
yum install gcc kernel-devel
make
```

To install the `gcc` package and kernel sources in the Debian/Ubuntu Linux distribution, enter the following command in a terminal:

```
apt-get install gcc make linux-headers-$(uname -r)
```

For information how to install the `gcc` package and kernel sources in other Linux distributions, refer to the corresponding Linux distribution documentation.

If you still experiencing problems, try to find a solution in Parallels Knowledge Base (<http://kb.parallels.com/>) or refer to the Parallels support team <http://www.parallels.com/en/support/desktop/>.

## CHAPTER 10

# Glossary

This glossary defines terms and spells out abbreviations used in Parallels Management Console User's Guide. References to terms defined elsewhere in the glossary appear in *italics*.

**Administrator.** A user with server administration privileges.

**Bridged networking.** Virtual machine network connection mode that enables the virtual machine to appear as any other computer on the network, with its own IP address and network name.

**Client computer.** A computer that has *Parallels Management Console* installed.

**Client operating system (client OS).** An operating system of a remote client computer where *Parallels Management Console* is installed.

**Configuration file.** See *PVS file*. Configuration file specifies virtual machine's devices and resources. It is created automatically when you create a new virtual machine.

**Expanding format.** A virtual hard disk format. An expanding virtual hard disk image file resides on your host computer and is small initially. Its size grows as you add applications and data to the virtual hard disk in the *guest OS*.

**Guest operating system (guest OS).** Operating system that runs under the virtual machine control.

**HDD file.** A virtual hard disk file used by the virtual machine.

**Host computer.** A physical server where Parallels Server Bare Metal or Parallels Server for Mac is installed. This computer hosts virtual machines files.

**Host-only networking.** Virtual machine network connection mode that creates a private network between the host computer and its virtual machines, which makes the virtual machine available from the host computer only.

**Localhost.** Physical computer where both Parallels Server and Parallels Management Console, that you use to manage virtual machines, are installed.

**Parallels Management Console.** Client application that provides graphical user interface for managing Parallels Server Bare Metal or Parallels Server for Mac, their virtual machines, preferences, and settings.

**Parallels Physical Server.** A physical server where Parallels Server Bare Metal or Parallels Server for Mac is installed. This computer hosts virtual machines files.

**Plain format.** A virtual hard disk format. A plain virtual hard disk image file resides on your host computer and has a fixed size that cannot be changed.

**Preboot Execution Environment (PXE).** An environment to boot computers using a network interface independently of available data storage devices (like hard disks) or installed operating systems.

**PVS file.** A virtual machine *configuration file* that contains information about the virtual machine resources, devices and other settings.

**Shared networking.** Virtual machine network connection mode that allows the virtual machine to use the host computer network connections.

**Virtual hard disk.** A file or a group of files that emulates virtual machine's hard disk.

**Virtual Machine.** A virtualized PC environment in which an operating system can be installed and run just like in a physical computer.

**Virtual machine files.** Files stored in the virtual machine folder. Virtual machine has at least two files: *configuration file* and *virtual hard disk file*.

**Virtual machine template.** A virtual machine that can be cloned to multiple virtual machines that will have the same configuration that the virtual machine template had.

**VM.** See *Virtual Machine*.

# Index

## A

About Parallels Management Console - 7  
 About This Guide - 8  
 Activating a Parallels Physical Server - 29  
 Add Hardware Wizard - 127  
 Adding a Virtual Network - 48  
 Adding an Existing Virtual Machine - 73  
 Adding and Removing Devices - 126  
 Adding CD/DVD-ROM Drive - 134  
 Adding Floppy Disk Drive - 137  
 Adding Generic SCSI Device - 145  
 Adding Hard Disk - 129  
 Adding Network Adapter - 139  
 Adding Parallel Port - 143  
 Adding Port Forwarding Rule - 43  
 Adding Serial Port - 141  
 Adding Sound - 146  
 Adding USB Controller - 144

## B

Backing Up a Virtual Machine - 167  
 Backup Options - 36  
 Boot Order Settings - 90  
 Bridged Virtual Network Settings - 47

## C

Capturing and Releasing the Keyboard and Mouse - 79  
 CD/DVD-ROM Settings - 112  
 Changing Configuration at Runtime - 82  
 Changing the View Mode - 80  
 Cloning a Virtual Machine - 149  
 Configuring Virtual Machines - 86  
 Connecting to a Registered Parallels Physical Server - 30  
 CPU Settings - 102  
 Creating a New Virtual Machine - 50  
 Creating a Virtual Machine Template - 155  
 Custom Installation Mode - 56  
 Customizing Toolbar - 18

## D

Deleting and Removing a Virtual Machine - 151  
 Deploying a Virtual Machine Template - 157  
 Devices - 126

removing - 147

Disconnecting From a Parallels Physical Server - 48  
 Documentation Conventions - 8

## E

Editing Parallels Physical Server Settings - 31  
 Editing Virtual Machine Configuration - 87  
 Enabling Parallels DHCP Server - 44  
 Exploring Parallels Management Console Interface - 12  
 Express Windows Installation Mode - 52

## F

Feedback - 10  
 Feedback Options - 38  
 Floppy Disk Settings - 106

## G

General Options - 33  
 General Preferences - 21  
 General Settings - 88  
 Generic SCSI Device Settings - 125  
 Getting Help - 9  
 Getting Technical Support - 173  
 Glossary - 180  
 Guest Operating System Requirements - 170

## H

Hard Disk Settings - 108  
 Help  
   getting help - 173  
   getting technical support - 173  
 Host-Only Virtual Network Settings - 45  
 How to Run Parallels Compressor - 171

## I

Initializing the Newly Added Disk - 132  
 Installing a Guest Operating System - 61  
 Installing Parallels Tools in a Linux Guest OS - 66  
 Installing Parallels Tools in a Mac OS X Guest OS - 69  
 Installing Parallels Tools in a Windows Guest OS - 65  
 Installing the GCC package and kernel sources in Linux - 179

Intel VT-d - 39  
Introduction - 6

## K

Keyboard Preferences - 23  
Keyboard Shortcuts in a Virtual Machine - 79

## L

Login Options - 34

## M

Making Guest OS Screenshots - 85  
Making Snapshots - 161  
Managing Snapshots - 162  
Managing Virtual Machine Templates - 154  
Managing Virtual Machines - 148  
Managing Virtual Machines From the Tray - 159  
Memory Options - 37  
Memory Settings - 103  
Memory Usage Problems - 176  
Menus - 15  
Migrating a Virtual Machine - 165

## N

Network  
    kinds of networking - 180  
Network Adapter Settings - 115  
New Virtual Machine Wizard - 51

## O

Optimization Settings - 92  
Organization of This Guide - 8

## P

Parallel Port Settings - 117  
Parallels Compressor Working Principles - 170  
Parallels Management Console Tray Icon - 20  
Parallels Management Console Window - 13  
Parallels Tools Availability - 64  
Performing Main Operations on a Virtual Machine - 76  
Permissions Settings - 93  
Preferences - 20  
Primary operating system - 180  
Principles of Working With Parallels Management Console - 11  
Problem - 173  
Problems With Antivirus Software - 177  
Proxy Server Preferences - 24

## R

Registering a New Parallels Physical Server - 27

Remote Display Settings - 95  
Removing  
    device - 147  
    server - 48  
Removing a Parallels Physical Server - 49  
Removing Devices - 147  
Removing Parallels Tools - 72  
Reporting a Problem to Parallels Support Team - 174  
Restoring and Removing Virtual Machine Backups - 168

## S

Security Options - 35  
Serial Port Settings - 119  
Server  
    disconnecting - 48  
Server Settings Dialog - 32  
Services Settings - 96  
Setting Up a Shared Folder - 84  
Setting Up a Virtual Machine - 50  
Setting Up Parallels Management Console Preferences - 20  
Shared Folders Settings - 98  
Shared Virtual Network Settings - 42  
SmartGuard Settings - 100  
Sound Settings - 122  
Specifying Host IP Address and Network Mask - 42  
Specifying Host-Only Virtual Network Advanced Settings - 46  
Starting a Virtual Machine and Shutting It Down - 76  
Starting Parallels Management Console - 11  
Startup and Shutdown Settings - 94  
Status Bar - 19  
Stopping and Resetting a Virtual Machine - 78  
Support for Virtual and Real Disks - 111  
Suspending and Pausing a Virtual Machine - 77

## T

Toolbar - 16  
Troubleshooting - 173  
Troubleshooting and Limitations - 173  
Typical Installation Mode - 54

## U

Updating Parallels Tools - 70  
Upgrading or Installing Parallels Tools in Text Mode in a Linux Guest OS - 178  
USB Settings - 124  
Using Keyboard and Mouse - 79  
Using Parallels Compressor - 169

Using Parallels Tools - 63

Using Shared Folders - 83

## **V**

Video Settings - 104

Viewing Shared Folders in Guest OS - 85

Virtual Machine - 180

    problems with starting - 173

Virtual Networks - 41

## **W**

Welcome Window - 12

Working in a Virtual Machine - 75

Working With a Parallels Physical Server - 26

Working With Snapshots - 160

Working With Virtual Machine Backups - 166